



CABSTRUT[®]

CABLE & RETICULATION
MANAGEMENT SYSTEMS

Standard Product Range



CABSTRUT BRANCHES

JOHANNESBURG
14 Union St. Cnr. Houtbaai St.
Alberton North,
Johannesburg
Tel: 011-622-8633
cabstrut@voltex.co.za

PRETORIA
636 Ella St. Cnr. 14th Av.
Rietfontein, Pretoria
Tel: 012-329-7060,
012-329-6882, 012-329-1647
cabpta@voltex.co.za

DURBAN
2 Brickworks Way
Briardene
Durban
Tel: 031-573-9400
cabdurban@voltex.co.za

CAPE TOWN
Unit 2A Ndabeni Business Park
Cnr. Inyoni St. & Old Mill Rd.
Ndabeni, Cape Town
Tel: 021-530-3560-6
cabcape@voltex.co.za

EAST LONDON
W.J. Agencies
12A Brill St.
Arcadia, East London
Tel: 043-722-6272
slombard@voltex.co.za

PORT ELIZABETH
W.J. Agencies
Unit 1, 20 Lindsay Rd.
Neave, Port Elizabeth
Tel: 041-451-2011
ejulian@voltex.co.za

GEORGE
W.J. Agencies
Unit 1, 72 Laing St.
George Industria, George
Tel: 044-874-1102
nico.ungerer@voltex.co.za



CABSTRUT®

CABLE & RETICULATION MANAGEMENT SYSTEMS

Standard Product Range

			Page	Catalogue Page
INDEX	1	1	34-36	32-33
N8/1, P801 & P803 POWERSKIRTING	2	3	37-46	36-45
PLATINUM PVC POWERSKIRTING	3	4	47	46
EXECUDUCT MKII PVC POWERSKIRTING	4	5	48	47
AL8/1, AL801 ALUMINIUM POWERSKIRTING	5	2	49	48
UTILITY POLE & UNIMOD	6	6	50	49
FLOOR RETICULATION Under Screed	7	7	51	53
& Access Floor			52	50
FLOOR RETICULATION Flush Ducting	8	8	53	54-55
WALL RETICULATION	9	9	54	58
OUTLETS & ACCESSORIES	10-18	10-13	55	59
EUBIQ POWER TRACK	19-25	14-22	55	59
CHANNELS, COMBOS, CONCRETE INSERTS	26	23-24 & 31	55	59
GENERAL STRUCTURAL STEEL	26	-	56	60
CANTILEVER ARMS	27	25	56-59	61
AIRCON SETS	28	26	61-62	56-57
CABSTRUT BRACKETS	29-30	27-28	63	62
PIPE & CABLE CLAMPS	31-32	29-30	64	Back Cover
CABSTRUT FASTENERS & ANCHORS	33	34-35	65	Back Cover
GRIPPLE HANGERS				
CAB-CLIPS				
CABLE TRAY Perforated Metal				
RETURN FLANGE CABLE TRAY				
CABLE TRAY Welded Wire Mesh				
CL55/76 CABLE LADDER				
CL130 Ladder (NEMA 20B & 20C)				
POWERWAY CABLE LADDER				
COVERS FOR TRAY & LADDER				
PVC TRUNKING Compact Mini & Cable Line				
PVC SLOTTED TRUNKING				
PVC FLOOR (HALF MOON) TRUNKING				
CORNICE (TRIANGULAR) TRUNKING				
PVC CONDUIT & FITTINGS				
BOSAL STEEL CONDUIT & FITTINGS				
WIRING DUCT				
PRODUCT MASSES				
TECHNICAL INFO & NOTES				
BRANCH DETAILS				

Cabstrut is a division of the Voltex Group, the leading electrical wholesaler with a network of branches nationwide. www.voltex.co.za

Voltex is a member of the Bidvest Electrical group. Bidvest brings together the industry leaders of industrial and commercial companies. www.bidvest.com

BEE information can be viewed on our web site www.bidvest.com

NOTE:

1. All prices quoted are per each.
2. Prices for products, materials and finishes not shown are available on request.
3. Prices are Ex-Works, exclude VAT, and are subject to change.
4. Cabstrut reserves the right to change the design of, or discontinue any of its products.
5. Prices shown are in South African Rands.
6. E&OE.


Price list is available for Cabstrut Stainless Steel Product Range. Prices for other materials and finishes on request. Alternatively for all standard product information and current list prices visit www.cabstrut.co.za.



Cabstrut Stainless Steel
Product Range Price List

N8/1, P801 & P803 POWERSKIRTING

Aesthetic textured powder coating options: Hospital Grey, Easter Oak, Carrier Beige, Hammertone Grey, Motor Craft Grey, White & Satin Black Smooth Finish.



UNIQUE FEATURES:

- 3000mm standard length
- Aesthetic textured powder coating
- Covers supplied separately
- Rivet assembly (TOX) - no spot welding
- Galvanised steel - **RUST PROOF!**

	Body & Covers Complete/metre	Body & Covers Complete/3 metre	Body /3 metre	N8/1 Cover /3 metre
N8/1	414.00	1242.00	900.00	342.00
N8/P801	768.00	2304.00	1620.00	342.00
N8/P803	1172.00	3516.00	2490.00	342.00

*NB. N8/1 PRICE INCLUDES SPLICE
Bodies & Covers Supplied Separately
Double stacked N8/1 utilises N8/P801 accessories
(See Pages 10-18 For Socket & Switch Accessories)

OUTLET COVER KITS
Crabtree Outlet Options **80.00 Ea.**

SEZ 6896H 15A SSO SEZ 4556H 13A SSO SEZ 20A DPI 20A DPI + CG SEZ 4555T 13A Double SSO

133.00

VETI Outlet Options
SEZ SSO & 3 x Mod.

Clipsal Outlet Options
SEZ/LS 2002 16A SSO SEZ/LS 1005 Universal Twin Cradle

Universal Modular Outlets suitable for all Modular systems (Crabtree, Clipsal & Thynk)
SEZ DR 75x50mm
SEZ DR 50x50mm


BLANK COVER PLATE **ORDER CRADLE SEPARATELY**



No More Pulling through of cables.
All internal and external elbows are fitted AFTER the wiring is complete!

Accessories shown are for Series N8/P801. Accessories for N8/1 & N8/P803 are also available.


Standard Accessories 90°. NB for 45° Accessories Add 35%.

External Elbow N8/1 200.00 N8/P801 250.00 N8/P803 320.00		Flat Elbow N8/1 290.00 N8/P801 444.00 N8/P803 870.00	
Internal Elbow/Standard Tee N8/1 140.00 N8/P801 204.00 N8/P803 320.00		Flat Tee N8/1 390.00 N8/P801 472.00 N8/P803 910.00	
End Cap N8/1 120.00 N8/P801 154.00 N8/P803 210.00		Duct Divider P. Galv. 360.00	



PLATINUM PVC POWERSKIRTING

Standard colours are: Grey, White & Black

EP202 Duct + Covers
Comprises
Double Duct
& 2 Covers



EP101 Duct + Cover



Platinum duct is supplied with protective tape on all covers and top side.

Pre-punched at 260mm centres for easy installation

	/metre	/3 metre	Mass/3m
EP101 Single Duct + Cover	313.00	939.00	2.97kg
EP202 Double Duct + Covers	536.00	1608.00	4.50kg
Cover Only	98.00	294.00	0.60kg

Black: i0014195, Grey: i0014196, White: i0014197
Standard Accessories

• **POZI-LOCK COVER (Top & Bottom Locking System)**

UNIQUE FEATURES:

- 3000mm standard length
- Cost efficient & practical
- Light & easy to install
- Low maintenance

Full installation instructions are supplied
SELF EXTINGUISHING!

External Elbow EPEB1 1cpt 93.50 EPEB2 2cpt 117.00		Cover Joining Clip EPCJ1 1cpt 27.30 EPCJ2 2cpt 34.40	
Internal Elbow EP1B1 1cpt 93.50 EP1B2 2cpt 117.00		Flat Tee EPFT1 1cpt 201.00 EPFT2 2cpt 360.00	
End Cap EPEC1 1cpt 28.00 EPEC2 2cpt 36.70		Flat Elbow EPFB1 1cpt 192.00 EPFB2 2cpt 348.50	
Straight Joint EPSJ POR		Corner Joint EPCJ POR	



PLATINUM EPCC OUTLET COVER KITS C/W CRADLE

Modular Cover Plate Options *Suitable Crabtree, Clipsal Legrand & Thynk*

Diamond Range
75x50mm

Diamond Range
50x50mm

Legrand Mosaic
67x45mm

Legrand Mosaic
45x45mm

82.00 Each

Crabtree Cover Plate Options

6896H
15A SSO

6896HD
15A Dedicated SSO

4556H
13A SSO

20A DPI
+ CG

82.00 Each

110.00 Each

Clipsal Cover Plate Options

LS 2002
16A SSO

LS 2003
16A SSO

LS 1005
Universal Twin Cradle

Blank

82.00 Each

Veti Cover Plate Options

15A SSO


3 x MOD

92.00 Each

(See Pages 10-18 For Socket & Switch Accessories)

EXECUDUCT MKII PVC POWERSKIRTING

Standard Length: 3000mm
Standard colours: Grey White



Single duct can be stacked on top of a two tier duct to form a three tier duct.

	/metre	/3 metre	Mass/3m
EDM201 Single Duct + Cover	280.00	840.00	2.37kg
EDM211 Double Duct + Covers	506.00	1518.00	4.20kg
Cover only	98.00	294.00	0.60kg

Grey: i0014196, White: i0014197

Standard Accessories

Ext. Elbow EDM205 1cpt 86.00 EDM215 2cpt 146.00 EDM225 3cpt 420.00	Cover Joining Clip EDM 1/2cpt 46.00 EDM223 3cpt 150.00
Int. Elbow EDM204 1cpt 84.00 EDM214 2cpt 135.00 EDM224 3cpt 390.00	Flat Tee EDM207 1cpt 250.00 EDM217 2cpt 525.00
End Cap EDM202 1cpt 43.00 EDM212 2cpt 80.00 EDM222 3cpt 240.00	Flat Elbow EDM206 1cpt 235.00 EDM216 2cpt 515.00

NB: Flat Tee & Flat Bend to be fabricated

A comprehensive range of outlets and accessories is available.



POZI-LOCK COVER
(Top & Bottom
Locking System)

Execuduct® MKII

PLATINUM EPCC OUTLET COVER KITS C/W CRADLE

Generic PVC Cradle

Modular Cover Plate Options
Suitable Crabtree, Clipsal, Legrand & Thynk

Diamond Range 75x50mm	Diamond Range 50x50mm	Legrand Mosaic 67x45mm	Legrand Mosaic 45x45mm
82.00 Each			

Crabtree Cover Plate Options

6896H 15A SSO	6896HD 15A Dedicated SSO	4556H 13A SSO	20A DPI + CG
82.00 Each		110.00 Each	

Clipsal Cover Plate Options

LS 2002 16A SSO	LS 2003 16A SSO	LS 1005 Universal Twin Cradle	Blank
82.00 Each			

Veti Cover Plate Options



16A SSO	3 x MOD
92.00 Each	

(See Pages 10-18 For Socket & Switch Accessories)

AL8/1 & AL801 ALUMINIUM POWERSKIRTING

PRICES QUOTED ARE FOR STANDARD EPOXY POWDER COATED COLOURS. PRICES FOR SPECIAL COLOURS ON REQUEST

Aesthetic textured powder coating options: Hospital Grey, Easter Oak, Carrier Beige, Hammertone Grey, Motor Craft Grey, White & Satin Black Smooth Finish.



UNIQUE FEATURES:

- 3000mm standard length
- **AL8 covers supplied separately & fixed with SEZ clips at 200mm centres**
- Utilises standard outlets (available for all standard single & double accessories)
- Optional clip-in divider available for all compartments
- Splice pieces for bodies supplied separately (1 per length)



No More Pulling through of cables. All internal and external elbows are fitted AFTER the wiring is complete!

Steel accessories shown are for Series N8/P801. Steel accessories for N8/1 are also available.

	Duct 3000mm	Splice 100mm + 2 Screws	Cover 3000mm	SEZ Clips (16/length)	ASSEMBLY Duct+Splices+Covers+Clips Per 3000mm Per 1000mm	
AL8/1	1590.00	54.60	550.00	8.80	2335.40	778.47
AL801	3726.00	54.60	550.00	8.80	5162.20	1720.74

(See Pages 10-18 For Socket & Switch Accessories)

OUTLET COVER KITS SUPPLIED COMPLETE WITH SEZ CLIPS

134.00 Each

Crabtree Outlet Options

AL8/6896H
15A SSO



AL8/4556H
13A SSO



AL8/20A DPI
20A DPI + CG



VETI Outlet Options

SSO & 3 x Mod.




Clipsal Outlet Options

AL8/LS
2002
16A SSO




AL8/LS
1005
Universal
Twin Cradle



Universal Modular
Outlets suitable for all
Modular systems
(Crabtree, Clipsal & Thynk)

AL8/75x50mm
AL8/50x50mm



BLANK
COVER
PLATE



ORDER CRADLE
SEPARATELY



Standard Mitre Cut Aluminium Accessories (90°).




INTERNAL ELBOW EXTERNAL ELBOW END CAP

	C/W COVERS + SEZ CLIP	
AL8/1	600.00	780.00
AL801	900.00	1260.00

Optional Steel Accessories (90°) are Available.
See page 2 for prices.


AL8 Series
Duct Divider
3000mm
Mill Finish
360.00



UTILITY POLE / TOWER

STATION MASTER / UNIMOD

- 3000, 3500, 4000 and 4500mm standard lengths
- 57mm diameter, 4 compartment



CLIP-ON KIT!

Eliminates the need for screws and cover plates. Quicker and easier to install!

Pole Kit	
3,0 metre	1980.00
3,5 metre	2225.00
4,0 metre	2540.00
4,5 metre	2850.00

Made to order:

5,0m	3350.00
6,0m	3850.00


- Pole kit comprises: Pole, PVC covers, base plate, ceiling flange and jack assembly

UNIMOD TOWER

Tower With Baseplate and Blank	
Unimod Kits	Price
4	4000.00
8	5000.00
12	6000.00

- 600mm high
- Other specifications manufactured to order

- Installs on a standard floor duct outlet, conduit floor box or stand-alone steel base unit



...smaller, better & less expensive.

- One kit fits all
- Accepts all modular accessories
- Modules can be stacked
- Kit contains body, universal cradle and two plastic end covers & divider
- Old style non-modular kits also available

Standard Accessories

Jack Assembly
(Supplied with kit)
61.00

Ceiling Flange
(Supplied with kit)
121.00

Base Plate
(Supplied with kit)
92.50



UNIMOD OUTLET KIT

Kit comprises 85mm retainer, Unimod cradle, 2 x end caps and 1 divider. (Outlets not included)

275.00

UNIMOD BLANK OUTLET
320.00



(See Pages 10-18 For Socket & Switch Accessories)

OUTLET KITS **340.00 Each**

Crabtree Outlet Options

6896H 15A SSO 4556H 13A SSO 20A DPI 20A DPI + CG



VETI Outlet Options SSO & 3 x Mod.



Clipsal Outlet Options

LS 2002 16A SSO LS 1005 Universal Twin Cradle



Modular Outlet Options

Blank Kit 75 x 50mm 50 x 50mm



FLOOR RETICULATION

UNDER SCREED DUCTING SYSTEM (Sub-surface Outlets Protected from Damage)

- 3000mm standard length
- Breakout outlet points at 500mm centres
- Duct installed 35mm below surface level
- Overall depth 75mm minimum
- Galvanised (PG) 1,2mm construction
- Alternative installation method available on request

ACCESS FLOOR/CONDUIT BOX SYSTEM (Sub-surface Outlets Protected from Damage)

- System fits into access floor tile (208 x 288mm aperture)
- Can also fit onto conduit floor box cast into the floor and fed by conduit

1830.00

DUCT OUTLET KIT COMPRISING:

Disposable Concrete Ingress Prevention Plate


Screed Frame

Modular Outlet Plates

Fit Duct Outlet Kit to Duct prior to screeding of Floor Duct

5600.00

3UAA Duct
220 x 350mm Deep


1070.00

PVC Carpet Frame & Lid
200 x 300mm

8mm Inset

Suitable for
20 & 25mm
Conduit

Brushed S/Steel
Walkway Outlet Box Kit
(Suitable for Tile Application)
238.5 x 238.5 x 70mm Deep
i0016940


6400.00

SS304 Brushed S/Steel
Frame & Lid
Adjustable to Align
with Tile

2230.00

CONDUIT
BOX OUTLET KIT COMPRISING:
Disposable Concrete Ingress Prevention
Plate, Conduit Box and Modular Outlet Plates


Conduit Access Floor Box
205 x 287 x 70 or 100mm Deep



70mm Conduit Access Floor Box
cannot use DR11459/11460.
For more information see pages 10-18

Standard Accessories

3UA Universal
Drawbox
300 x 300 x 65mm

2900.00


External Splice
(For cut lengths)

174.00


Internal Splice
(For standard lengths)

174.00


25mm
Conduit

20mm Std.
Conduit


Punch Hole can be opened up
to 32mm with a chassis punch

Leveling
Frame


Order outlets separately. Modular outlets and accessories
make this system user friendly. Module combinations are
totally flexible.

*Universal Modular Outlet Plate utilises standard switched
sockets & accessories.
For more information see pages 10-18*

Power Skirting
Connector
3UAA - P801
3UAA - P803

580.00


Universal Modular Outlet Plate





FLOOR RETICULATION

FLUSH DUCTING WITH SURFACE MOUNTED OUTLET PEDESTALS 3F FLOOR DUCT

- 3000mm standard length
- Removable outlet covers at 1000mm centres
- Galvanised (PG) 2mm top and 1mm base
- 31mm installation depth
- FD2, FD3 & FD4 pedestals can be fitted

Aesthetic textured powder coating options:

Motor Craft Grey, Carrier Beige, Hammerstone Grey, White, Easter Oak, Hospital Grey & Satin Smooth Black Finish


410.00

FD2 Pedestal
Conduit Box
117 x 135 x 38mm

270.00

FD2 Pedestal
140 x 150 x 75mm

370.00

FD3 Pedestal
230 x 140 x 75mm

580.00

FD3/4 Pedestal
Conduit Box
117 x 210 x 38mm

70.00

Cover Plate Only
15A Punched

440.00

FD4 Pedestal
150 x 255 x 75mm

**CRABTREE
Pop-up Pedestal**

2300.00


Excl Sockets
Suitable for
Crabtree Diamond,
Clipsal & Thynk
Ranges

6700.00

3F FLOOR DUCT
27kg/3000mm

Standard Accessories

**3F Universal
Drawbox**
300 x 300 x 65mm

2900.00



External Splice
(For cut lengths)

174.00


Internal Splice
(For standard lengths)

174.00


**Power Skirting
Connector**
3F - P801
3F - P803

580.00


Universal
Modular Outlets
suitable for all
Modular systems
(Crabtree, Clipsal & Thynk)

75x50mm
50x50mm
70.00



**BLANK
COVER PLATE**
70.00



ORDER CRADLE
SEPARATELY

(See Pages 10-18 For Socket & Switch Accessories)

OUTLET COVER KITS 70.00 EACH

6896H
15A SSO



Crabtree Outlet Options

4556H
13A SSO



20A DPI
20A DPI + CG



LS 2002
16A SSO



Clipsal Outlet Options

S2015PS/13
13A SSO



LS 1005
Universal Twin Cradle



WALL RETICULATION

- Suitable for power, voice & data outlets
- Fit from front clip-on PVC covers
- Boxes suitable for single or double sided use

- Universal modular outlets suitable for all modular systems (Crabtree, Clipsal & Thynk)
- Order boxes, cradles, covers & outlets separately (for outlets & accessories see pages 10-18)

CT11802/6

PVC	290.00
STEEL + EPX	300.00

Surface Mounted Outlet



1 Tier Wall Box
(for dry or brick walls)

Blanking back plate
supplied standard




Universal Floating
Cradle

9 Way
Outlet Plate

CT11809/6

480.00

9 Way Cover
& Cradle




640.00

62mm Deep
1 Tier Wall Box

710.00

88mm Deep
1 Tier Wall Box



2 Tier
Wall Box

1070.00

2 Tier Cover + Cradles


845.00

CT11818/6

Flush Mount PVC Wall Box
(Only available in single)

CT 11801/6


292.00



Clip-in Divider



(See Pages 10-18 For Socket & Switch Accessories)

Switched & Unswitched Socket Range


Not to be used for Blank Covers


See Page 7 for Cover Plates

Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0015025	6896H/C 16A Standard Switched Socket Outlet White SANS 164-1	ea	10	1.00	190.00
2	i0015026	6896HD/R-C 16a Dedicated Switched Socket Outlet Red SANS 164-4	ea	10	1.04	260.00
3	i0015028	6896HD/U-C 16A Dedicated Switched Socket Outlet Blue SANS 164-4	ea	10	1.04	300.00
4	i0015027	6896HD/B-C 16A Dedicated Switched Socket Outlet Black SANS 164-4	ea	10	1.04	300.00
5	i0018075	6857P Twin 16A Standard Slimline Socket Outlet White SANS 164-2	ea	10	0.84	300.00
6	i0018076	6857D/R Twin 16A Dedicated Slimline Socket Outlet Red SANS 164-2-1	ea	10	0.84	360.00
7	i0018077	6857D/BL Twin 16A Dedicated Slimline Socket Outlet Blue SANS 164-2-1	ea	10	0.84	360.00
8	i0018078	6857D/BK Twin 16A Dedicated Slimline Socket Outlet Black SANS 164-2-1	ea	10	0.84	360.00
9	i0018079	6858P 16A Standard Slimline Switched Socket Outlet White SANS 164-2	ea	10	0.84	250.00
10	i0018080	6858D/R 16A Dedicated Slimline Switched Socket Outlet Red SANS 164-2-1	ea	10	0.84	300.00
11	i0018081	6858D/BL 16A Dedicated Slimline Switched Socket Outlet Blue SANS 164-2-1	ea	10	0.84	300.00
12	i0018082	6858D/BK 16A Dedicated Slimline Switched Socket Outlet Black SANS 164-2-1	ea	10	0.84	300.00
13	i0002285	4556H 13A British Switched Socket Outlet White BS 1363 (EXPORT)	ea	10	1.06	530.00
14	i0002284	4555T 13A Twin British Switched Socket Outlet White BS 1363 (EXPORT)	ea	16	3.14	780.00
15	i0002257	9511-0412 Universal Cradle (Fixing Frame) PG	ea	20	0.58	25.00
16	i0002290	2460 20A Double Pole Isolator (dpi) Switch Module White	ea	10	0.32	225.00
17	i0002291	2435 Cord Grip Module White	ea	20	0.24	162.00
18	i0004199	1436W 6A Round Socket Module White SANS 164-3	ea	10	0.4	68.00
19	i0002311	1431 6A Socket Module White On Cradle SANS 164-3	ea	10	0.366	62.00

* AVAILABLE MAY 2021

Plugtop Range


Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0004174	1051P 16A 3 Pin Standard Plugtop White SANS 164-1	ea	200	11.45	49.60
2	i0002254	1054RDP 16A 3 Pin Dedicated Plugtop Red SANS 164-4	ea	200	11.2	49.60
3	i0002255	1054BLUP 16A 3 Pin Dedicated Plugtop Blue SANS 164-4	ea	200	11.2	49.60
4	i0002253	1054BKP 16A 3 Pin Dedicated Plugtop Black SANS 164-4	ea	200	11.2	49.60
5	i0016962	1071P 16A 3 Pin Slimline Standard Plugtop White SANS 164-2	ea	200	5.80	46.50
6	i0018084	1071RDP 16A 3 Pin Slimline Dedicated Plugtop Red SANS 164-2-1	ea	200	5.85	47.90
7	i0018086	1071BLUP 16A 3 Pin Slimline Dedicated Plugtop Blue SANS 164-2-1	ea	200	5.85	47.90
8	i0018085	1071BKP 16A 3 Pin Slimline Dedicated Plugtop Black SANS 164-2-1	ea	200	5.85	47.90
9	i0004175	C1049P 6A 3 Pin Standard Plugtop White SANS 164-3	ea	200	5.85	41.00



Modular Range & Accessories
1

2


3

4

5

6

7

8

9

10

11

12

13


14


See Page 7 for Cover Plates




Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0002258	11000 75 x 50mm 3 POS Cradle (Fixing Frame) PG	ea	200	5.18	21.00
2	i0019811	11002 100 x 50mm 4 POS Cradle (Fixing Frame) PG	ea	100	3.5	35.00
3	i0002279	11915 16A Standard Socket Outlet Module White SANS 164-1	ea	10	0.485	175.00
4	i0002261	11451 16A Dedicated Socket Outlet Module Red SANS 164-4	ea	10	0.465	230.00
5	i0002259	11457/BL 16A Dedicated Socket Outlet Module Blue SANS 164-4	ea	10	0.465	230.00
6	i0002260	11454/BLK 16A Dedicated Socket Outlet Module Black SANS 164-4	ea	10	0.465	230.00
7	i0002268	11850 16A Slimline 3 Pin Socket Outlet Module White SANS 164-2	ea	10	0.31	158.00
8	i0018087	11850D/R 16A Slimline 3 Pin Dedicated Socket Outlet Module Red SANS 164-2-1	ea	10	0.31	190.00
9	i0018088	11850D/BL 16A Slimline 3 Pin Dedicated Socket Outlet Module Blue SANS 164-2-1	ea	10	0.31	190.00
10	i0018089	11850D/BK 16A Slimline 3 Pin Dedicated Socket Outlet Module Black SANS 164-2-1	ea	10	0.31	190.00
11	i0016941	11460 16A Schuko Socket Outlet Module White SANS 164-6	ea	10	0.50	287.00
12	i0002265	11459 16A Schuko Socket Outlet Module White (export) (With Sliding Earth Pins)	ea	10	0.50	287.00
13	i0002281	11941 13A British Socket Outlet Module White BS 1363 (Export)	ea	10	0.42	145.00
14	i0002280	11916 International Adaptor Socket Module White (Export)	ea	10	0.50	200.00

*** AVAILABLE MAY 2021**

Modular Range & Accessories


Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0002274	11901/WHI 20A 1 Way Switch White	ea	20	0.44	90.00
2	i0002273	11901/RED 20A 1 Way Switch Red	ea	20	0.44	96.50
3	i0002271	11901/BL 20A 1 Way Switch Blue	ea	20	0.44	96.50
4	i0002272	11901/BK 20A 1 Way Switch Black	ea	20	0.44	96.50
5	i0002282	11981 20A 1 Way Switch White C/W RED LED	ea	20	0.46	200.00
6	i0002277	11904 20A Double Pole Isolator (DPI) Switch Module White	ea	10	0.42	228.00
7	i0002278	11906 Cord Grip Module White	ea	20	0.24	141.00
8	i0015672	11971 USB Socket Module 2.1A Shuttered White	ea	10	0.36	1610.00
9	i0017281	11907/WHI Single HDMI Module White	ea	5	0.08	675.00
10	i0017282	11908/WHI Double HDMI Module White	ea	5	0.12	1100.00
11	i0017283	11907/BLK Single HDMI Module Black	ea	5	0.08	675.00
12	i0017284	11908/BLK Double HDMI Module Black	ea	5	0.12	1100.00
13	i0002785	11996 Single Satellite Inlet Module White	ea	20	0.35	120.00
14	i0002270	11900 Blank Insert Module White	ea	40	0.20	29.30
15	i0002267	11815 CAT6 TEL/DATA Outlet Module Shuttered White	ea	20	0.50	550.00
16	i0002269	11894 RJ45 CAT6 DATA Outlet Module Shuttered White	ea	20	0.5	510.00
17	i0016814	11896 KRONE RJ45 CAT6 Data Outlet Module Unshuttered White	ea	20	0.5	595.00

LS 2000 Series Modular Range


Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0002301	LS 2002 16A Standard Switched Socket Outlet White SANS 164-1	ea	10	1.00	380.00
2	i0002302	LS 2003 16A Dedicated Switched Socket Outlet Red SANS 164-4	ea	10	1.04	595.00
3	i0002304	LS 2019 16A Dedicated Switched Socket Outlet Blue SANS 164-4	ea	10	1.04	630.00
4	i0002303	LS 2013 16A Dedicated Switched Socket Outlet Black SANS 164-4	ea	10	1.04	595.00



Supplied with 2 x Blank Inserts



See Page 7
for Cover Plates



Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0017205	WRP Universal Twin Cradle 2 Module PG	ea	100	4.66	50.00
2	i0002305	LS30/1/2MWE 15A 1 Way Switch White	ea	100	0.82	117.00
3	i0002307	LS30MDWE 20A DP Isolator White	ea	50	1.80	435.00
4	i0002310	LS38HDWE Cord Grip + Clamp White	ea	5	0.12	410.00
5	i0002308	LS 30RJ64SMTWE RJ11 Telephone Outlet	ea	10	0.10	790.00
6	i0002309	LS VDI17336UWE RJ45 CAT6 Data Outlet	ea	24	0.34	830.00
7	i0016961	LS 30USBCM 1.2A USB Unshuttered White	ea	5	0.20	1580.00

Modular Range & Accessories


Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0005806	VCF1 3MOD / SSO Cradle (Fixing Frame) PG	ea	200	5.160	30.00
2	i0005843	V201WT 16A Socket Outlet Module White SANS 164-1	ea	6	0.260	130.00
3	i0005844	V202RD 16A Dedicated Socket Outlet Module Red SANS 164-4	ea	6	0.256	160.00
4	i0015054	V202BL 16A Dedicated Socket Outlet Module Blue SANS 164-4	ea	6	0.256	160.00
5	i0015053	V202BK 16A Dedicated Socket Outlet Module Black SANS 164-4	ea	6	0.256	160.00
6	i0018071	V206WT 16A Schuko Socket Outlet Module White (Export) (With Sliding Earth Pins)	ea	6	0.279	160.00
7	i0005847	V210WT 16A Schuko Socket Outlet Module White SANS 164-6	ea	6	0.240	190.00
8	i0005846	V204WT 13A British Socket Outlet Module White (Export)	ea	6	0.266	155.00
9	i0014170	V208WT 16A V-Slim 3 Pin Socket Outlet Module White Sans 164-2	ea	12	0.430	131.00
10	i0018072	V208DRD 16A V-Slim Partially Dedicated Socket Outlet Module Red SANS 164-2-1	ea	12	0.430	170.00
11	i0018074	V208DBL 16A V-Slim Partially Dedicated Socket Outlet Module Blue SANS 164-2-1	ea	12	0.430	170.00
12	i0018073	V208DBK 16A V-Slim Partially Dedicated Socket Outlet Module Black SANS 164-2-1	ea	12	0.430	170.00
13	i0005845	V203WT 6A Socket Outlet Module White SANS 164-3	ea	6	0.267	122.00
14	i0005856	VG111WT 1 Way Switch (1 Mod Wide) White	ea	12	0.230	80.00
15	i0005858	VL111WT 1 Way Switch (1 Mod Wide) With Locator White	ea	12	0.230	115.00
16	i0005861	VS111WT 1 Way Indicator Switch (1 Mod Wide) With Indicator White	ea	12	0.230	125.00
17	i0005857	VG111RD 1 Way Switch (1 Mod Wide) Red	ea	12	0.230	80.00
18	i0015056	VG111BL 1 Way Switch (1 Mod Wide) Blue	ea	12	0.230	80.00
19	i0015055	VG111BK 1 Way Switch (1 Mod Wide) Black	ea	12	0.230	80.00

Modular Range & Accessories
1

2

3

4

5

6

7

8

9

10


11

12


Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0005854	V121DWT 20A Double Pole Switch (1 Mod Wide) White	ea	12	0.283	160.00
2	i0005855	V122DWT 20A Double Pole Switch (2 Mod Wide) White	ea	6	0.192	175.00
3	i0005853	V510WT Cord Grip Module (1 Mod Wide) White	ea	24	0.173	35.00
4	i0005849	V304WT RJ11 Telephone Module (1 Mod Wide) White (Unshuttered)	ea	12	0.161	205.00
5	i0005850	V305WT Data Module RJ45 Cat 6(1 Mod Wide) White (Unshuttered)	ea	12	0.184	370.00
6	i0016685	V209WT USB Socket Outlet Module 2.1A 5V (1 Mod Wide) White	ea	1	0.043	1000.00
7	i0005851	V507WT Blanking Plate Single Mod White	ea	??	??	26.00
8	i0005852	V508WT Blanking Plate Double Mod White	ea	12	0.107	35.00
9	i0017287	VCF2 Monoblock Cradle (Fixing Frame) PG	ea	200	5.180	26.40
10	i0017633	VG20PSWT Switched Socket Outlet RSA 16A Monoblock White SANS 164-1	ea	10	0.531	210.00
11	i0017634	VG218PSWT Combo 16A RSA & V-Slim Socket Outlet Monoblock White	ea	10	0.600	210.00
12	i0017635	VG20DPSRD Switched Socket Outlet RSA 16A Dedicated Monoblock Red SANS 164-4	ea	10	0.520	240.00

EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST
1

2

3

4

5

6

7

8

9


Item	Code	Description	Unit	Pack Qty	Weight Pack (Kg)	Unit Price
1	i0019813	THK1A 16A Standard Switched Socket Outlet Set White Complete On Cradle SANS 164-1	ea	10	1.75	105.00
2	i0019814	THK2A 16A Dedicated Switched Socket Outlet Set Red Complete On Cradle SANS 164-4	ea	10	1.75	110.00
3	i0019815	THK3A 16A Dedicated Switched Socket Outlet Set Blue Complete On Cradle SANS 164-4	ea	10	1.75	120.00
4	i0019816	THK4A 16A Dedicated Switched Socket Outlet Set Black Complete On Cradle SANS 164-4	ea	10	1.75	120.00
5	i0019817	THK1B 13A British Switched Socket Outlet Set White Complete On Cradle BS 1363 (Export)	ea	10	1.75	110.00
6	i0017205	WRP Universal Twin Cradle 2 Module PG	ea	100	4.66	50.00
7	i0004178	THK-SW20A 20A DP Isolator White	ea	50	1.80	100.00
8	i0004183	THK0004DCG Cord Grip + Clamp White	ea	100	0.72	30.00
9	i0006480	THKIEC10A 10A IEC Panel Socket Black	ea	50	1.00	25.00

EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST

SABS APPROVED
EUBIQ GSS POWER TRACK
 (GROUNDED SENTRY SHUTTER) system

free yourself from fixed power outlets

OUTLETS ANYWHERE, ANYTIME!
UNIQUE FEATURES:


- End terminals fitted as standard
- Stock finish natural anodised
- Light & easy to install
- Clean & aesthetic
- Safe GSS system
- Modular

Stock lengths


Product Code	Length	Price
i0001119 SFC2/400 W/ET	400mm	1350.00
i0001120 SFC2/600 W/ET	600mm	2000.00
i0001121 SFC2/800 W/ET	800mm	2650.00
i0001118 SFC2/3300 BLANK COVER	3300mm	2300.00

SFC2s Modular Track

Common to SH1, VSF, RH & DMS Housings



actual size

The SFC2s Modular Track is common to SH1, DMS1, RH1/2, VSF1-MB/MC & SOHO housings featured below

SH1 Surface Mounting Power & Data Housing

RH1 Recess Power & Cable Management Housing

VSF1-MB & MC Power & Data Housing (Mounting Base)

DMS1 Cable Management Housing

RH2 Recess Power & Data Housing



SOHO Multi Function Work Centre & Data Housing
EUBIQ IS THE PERFECT SOLUTION FOR RESIDENTIAL, RETAIL, COMMERCIAL AND INDUSTRIAL APPLICATIONS

© Cabstrut 02.21. All Prices Exclude VAT, E&OE. Prices Subject to Change Without Notice

EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST

SABS APPROVED

GSS POWER TRACK (GROUNDED SENTRY SHUTTER) system

The Complete System

OUTLETS ANYWHERE, ANYTIME!

Ultra Safe!

Patented GSS™ (Grounded Sentry Shutter) system is one of the safest systems in the world.

Secondary power circuits feature a plastic beading preventing primary adaptors from being used.

COMPACT ADAPTOR RANGE


International
i0003626 600.00
PREMIUM ADAPTOR RANGE




i0001108	15A 2 Pin	1550.00
i0001106	13A	750.00
i0001107	15A	3100.00
i0003642	Surge Protect	1225.00

15A 2 Pin
Surge Protector

Standard Accessories
TR50-MS
Motion Sensor
Light Holder
i0001134
1000.00
*Lamp (240)
supplied separately*
LAMP
i0001103
330.00

TR50-TS
Toggle Switch
Light Holder
i0001135
925.00
*Lamp (240)
supplied separately*
LAMP
i0001103
330.00

CL04
COBRA LED
Tasklight
i0003627
3400.00

DS3
Data/Tel Holder
(Flush)
*Not suitable
for SH1*
i0001099
150.00


DS4
Data/Tel
Holder
(Proud)
i0001100
575.00

CAT6
UTP Data
i0008532
350.00
CAT 5E NS007
Jack RJ45
(Data or Telephone)
i0001104
200.00

PLT 15A Plugtop
Fused 13A
i0003640
450.00

CCS-7
Coiled Cordset Fig. 8
i0003622
600.00
CCS-5
Coiled Cordset Mickey Mouse
i0003621
650.00


EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST





SABS APPROVED

EUBIQ SH1 BODY

THE SFC2 MODULAR TRACK IS SOLD SEPARATELY - SEE PAGE 19


UNIQUE FEATURES:


- Durable
- Premium finishing
- EMI shielded
- Built-in accessory rail
- Dado mid-height mounting
- Snap-on multimedia connectors
- Precise alignment of trunking runs with corner links
- Uninterrupted Power Supply (UPS) ready





EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST

SABS APPROVED

EUBIQ DMS1 BODY

THE SFC2 MODULAR TRACK IS SOLD SEPARATELY - SEE PAGE 19


Typical Housing Installation (DMS1 shown)


Internal and external elbows and end caps are available for SH1




EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST

SABS APPROVED

EUBIQ RH1 & RH2 BODY

(RECESSED DATA, POWER & CABLE MANAGEMENT)
THE SFC2 MODULAR TRACK IS SOLD SEPARATELY - SEE PAGE 19

**SFC2s
Modular Track**
(Supplied separately)
see page 19


RH1
RH1 RECESS POWER & CABLE MANAGEMENT TRACK



- Installation can be done on table with a minimum thickness of 15mm
- Manufactured from natural anodised aluminium with polycarbonate accessories
- Power track and data outlets can be configured in any combination and length to suit customer requirements
- Maximum standard length 3600mm

Code		/3600mm
i0001095	RH1 Body Only	1675.00
i0001098	RH1 Separator 3,6m	110.00
i0001096	RH2 Body	1375.00

INTEGRATED POWER & DATA SOLUTION

Designed with the GSS System Power Track, the RH series is the perfect solution for recessed power and data requirements.

The product is designed for easy installation, thus saving time and labour cost.


RH2
RH2 RECESS POWER & DATA TRACK


**RH1/2
End Caps
(Pair)**
i0001112

215.00


**For Adaptors
see page 20**

EUBIQ VSF1 DESKTOP MODULES

(POWER & DATA TRACKS WITH CLAMP OR BASE MOUNTING)
SABS APPROVED

**VSF1-MB Base Mounting
POWER & DATA TRACK**

Kit With Block	
VSF-800 MB	5500.00
VSF-1000 MB	6250.00


Kit With 2 Clamps	
VSF-800 MC	5500.00
VSF-1000 MC	6250.00

**VSF1-MC Clamp Mounting
POWER & DATA TRACK**

EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST

SABS APPROVED

EUBIQ SH1/SK KITCHEN & HOUSEHOLD UNIT (POWER TRACK WITH ACCESSORY RAIL)



- Designed for use in any kitchen/household
- Compatible with GSS accessories
- Surface Kitchen Track 600, 900, 1000 & 1200 in stock
- Natural Anodised finish
- Easy to install
- Concealed rail allows for towel rail and hooks to be easily attached

Kitchen Complete Track


SK/600 W/ET i0014028	1300.00
SK/900 W/ET i0014029	1950.00
SK/1000 W/ET i0001132	2150.00
SK/1200 W/ET i0014030	2450.00

SH1 Kits - 600 and 1000mm supplied with track, wall plugs and screws.

SH/600 i0014031	1050.00
SH/1000 i0014032	1750.00

Recessed Track accepts towel rail and hooks


Standard Accessories

KH/400 Kitchen Rail (400mm)	KH/600 Kitchen Rail (600mm)
280.00	310.00
	
KH Kitchen Hook (set of 4)	
140.00	

Surface Complete Track

SC/1000 W/ET i0001114	1850.00
SC/1500 W/ET i0003644	2600.00
SC/1800 W/ET i0003645	3050.00


For Adaptors see page 20



EUBIQ
NB. END OF RANGE, PRICES VALID WHILE STOCKS LAST

MULTIMEDIA CONNECTORS (Not suitable for SH1)


1950.00

HDMI
Connector
i0005526

900.00

Firewire 400
Connector
i0005527

800.00

Serial 9-pin
Connector
(Male)
i0005521

875.00

Stereo Audio
3.5mm
Connector
i0003633

250.00

Stereo Audio
6.3mm
Connector
i0003634

950.00

F Coupler
Connector
i0005523

250.00

TV-Radio
Co-axial
Connector
i0005524

250.00

BNC Dual
Connector
i0005525

250.00

S-Video
Mini-Din 4-pin
Connector
i0005520

250.00

PS/2
Mini-Din 6-pin
Connector
i0005519

250.00

RCA Audio
Connector
i0003631

525.00

RCA Video
Connector (Yellow)
i0005522

220.00

Mounting Frame
with Blank Faceplate
i0003638


CONNECTORS SUPPLIED WITH CABLE SETS


950.00

PS/2
Mini-Din 6-pin
Connector
i0005532

800.00

Serial 9-pin
Connector
(Male)
i0005533


1300.00

Stereo Audio
3.5mm
Connector
i0005531



3130.00

VGA 15-pin
Connector
(DE15F)
i0005528

CABSTRUT CHANNELS, COMBOS & CONCRETE INSERTS



										
	P1000 Size 41 x 41mm Thickness 2,5mm.		P1000T Size 41 x 41mm Thickness 2,5mm. Slot size 25 x 11mm @ 50mm centres or 28 x 14mm @ 50mm centres		P2000 Size 41 x 41mm Thickness 1,0 & 1,5mm. P2000T1.6 Also Available		P3300 Size 21 x 41mm Thickness 2,5mm. P3300T (slotted) is also available.		P4000 Size 21 x 41mm Thickness 1,5mm.	
	5m	6m	5m	6m	5m	5m	5m	5m	5m	5m
Pre-Galvanised Z275/5m/6m	1521.00	1825.00	-	-	1.0mm 702.00/1.6mm 1047.00		1200.00		700.00	
HDG SABS763 /5m - /6m	1950.00	2340.00	-	-			1720.00		-	
Slotted HDG SABS763/5m/6m	-	-	2145.00	2574.00			1940.00		-	
Slotted Pre-Galvanised	-	-	1730.00	2076.00	1.0mm 887.00/1.5mm 1232.00		1420.00		-	
Plain (Uncoated)/5m/6m	1350.00	1620.00	1535.00	1842.00			1155.00		-	

P1000	For part numbers of P2000 Combination Channels replace the P1 with P2 E.g. P1001 becomes P2001 P1001 STOCK AVAILABLE. ALL OTHER SPECIAL CHANNELS MADE TO ORDER.									
5988.00 /6m (HDG) 4990.00 /5m (HDG)	DOUBLE HDG P1001 P1001-A P1001-B P1001-C P1001-D     									
POR /5m (HDG)	TRIPLE HDG P4003 P1001-B3 P1001-C3 P1001-C31 P1001-3 P1001-A3 P1001-C32 P1001-C33 P1001-D3         									
POR /5m (HDG)	QUADRUPLE HDG P1001-C41 P1001-C42 P1001-C43 P1001-C4 P4004     									
OTHER COMBINATIONS (PRICES ON REQUEST)										
P1002 P1003 P1003-1 P1004 P1004-A P4002-1 P4002-2 P4001        										



GENERAL STRUCTURAL STEEL

6000mm standard length. Standard finish HDG. Stainless steel prices available on request.
Angle Iron & Taper Flange Channel also available in 5m lengths. **Prices available on request.**

FLAT BAR 	Size (mm)	Price Per 6m Length	ANGLE IRON 	Size (mm)	Price Per 6m Length	TAPER FLANGE CHANNEL 	Size (mm)	Price Per 6m Length
	25 x 5	710.00		25 x 25 x 3	840.00		76 x 38 STD (6,7kg/m)	5000.00
	30 x 5	840.00		25 x 25 x 5	1200.00		76 x 38 SL (5,7kg/m)	4000.00
	40 x 5	1100.00		30 x 30 x 3	950.00		100 x 50 x 6 STD (10,1kg/m)	8000.00
	50 x 5	1400.00		30 x 30 x 5	1500.00		100 x 50 x 6 SL (8,8kg/m)	6200.00
				40 x 40 x 5	2200.00			
				50 x 50 x 5	2700.00			


CABSTRUT CONCRETE INSERTS

Special lengths available on request

P3200 HDG (P1000) 	Length 5m	P3300 HDG (P3300) 	Length 5m
	4000.00		3600.00


CANTILEVER ARMS

- Standard finish galvanised (HDG)
- Channel used is Strut P1000
- Econo-Arm is Strut P2000




1
89mm
WRAP AROUND
(223 SERIES)

Part Number	Length	Unit Mass (kg)	Design Load (kg)	Price
WAA150	150	0,6	315	220.00
WAA200	200	0,8	310	240.00
WAA250	250	1,0	280	265.00
WAA350	350	1,3	260	317.00




2
135mm
WRAP AROUND
(223 SERIES)

Part Number	Length	Unit Mass (kg)	Design Load (kg)	Price
WAA450	450	2,0	245	363.00
WAA550	550	2,3	200	414.00
WAA650	650	2,6	160	470.00




3
FLAT
PLATE ARM
(254 SERIES)

Part Number	Length	Unit Mass (kg)	Design Load (kg)	Price
FPA150	150	0,8	290	195.00
FPA200	200	1,0	280	220.00
FPA250	250	1,2	260	260.00
FPA350	350	1,5	240	300.00
FPA450	450	1,7	180	340.00
FPA550	550	2,0	155	385.00
FPA650	650	2,3	130	440.00



4
HALF DOUBLE
(254 SERIES)

Part Number	Length	Unit Mass (kg)	Design Load (kg)	Price
HDA0550	550	3,0	240	635.00
HDA0650	650	3,4	200	660.00
HDA0850	850	4,2	160	790.00
HDA1050	1050	5,1	130	970.00




5
FULL DOUBLE
(254 SERIES)

Part Number	Length	Unit Mass (kg)	Design Load (kg)	Price
FDA0550	550	3,6	460	865.00
FDA0650	650	4,1	310	900.00
FDA0850	850	5,2	180	1070.00
FDA1050	1050	6,3	150	1310.00

6 TRAY ARMS (249 SERIES)


Part Number	A mm	B mm	C 76 mm	Unit Mass (kg)	Design Load (kg)	Old Part Number	Price
TA150	152	49	x 1	0,25	160	P2491	115.00
TA229	229	70	x 2	0,35	148	P2492	165.00
TA305	305	87	x 3	0,50	136	P2494	173.00
TA381	381	108	x 4	0,70	124	P2495	206.00
TA457	457	126	x 5	1,00	112	P2497	247.00
TA610	610	164	x 7	1,65	100	P2500	388.00



- **NOTE:** Cantilever Arms should be 50mm longer than the width of the cable tray or cable ladder to be supported.

AIRCON SETS

- Available in 450, 550, 600 & 650 lengths
- Available in HDG or EPC (Motor Craft Grey only)
- Sets comprise 2 x slotted cantilever arms, 2 x back channels and all fixing hardware



ANTI-VIBRATION PAD

9.30

NOT INCLUDED IN FASTENER PACK

FASTENER PACK SUPPLIED WITH EACH KIT



Fasteners also sold separately (see page 33)

HDG

CODE	DESCRIPTION/PRICE	SET COMPRISES	QTY/SET	PRICE/ITEM
450mm	AIRCON SET 450MM SLOTTED CANTILEVER ARM HDG COMPLETE	Slotted C/L Arms (FPA type) 450mm Length x 1.6mm (P2000 Arm) Back Plate : 150mm x 45mm x 6mm - HDG (i0001244)	2	248.00
i0005863	930.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - HDG (i0007025)	2	96.00
		Fastener Pack (as shown above)	1	222.84
550mm	AIRCON SET 550MM SLOTTED CANTILEVER ARM HDG COMPLETE	Slotted C/L Arms (FPA type) 550mm Length x 1.6mm (P1000 Arm) Back Plate : 150mm x 45mm x 6mm - HDG (i0008948)	2	268.00
i0005864	970.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - HDG (i0007025)	2	96.00
		Fastener Pack	1	222.84
600mm	AIRCON SET 600MM SLOTTED CANTILEVER ARM HDG COMPLETE	Slotted C/L Arms (FPA type) 600mm Length x 1.6mm (P1000 Arm) Back Plate : 150mm x 45mm x 8mm - HDG (i0001245)	2	278.00
i0005865	990.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - HDG (i0007025)	2	96.00
		Fastener Pack	1	222.84
650mm	AIRCON SET 650MM SLOTTED CANTILEVER ARM HDG COMPLETE	Slotted C/L Arms (FPA type) 650mm Length x 2.0mm (P1000 Arm) Back Plate : 150mm x 45mm x 8mm - HDG (i0008949)	2	342.00
i0005866	1118.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - HDG (i0007025)	2	96.00
		Fastener Pack	1	222.84















EPC

CODE	DESCRIPTION	SET COMPRISES	QTY/SET	PRICE/SET
450mm	AIRCON SET 450MM SLOTTED CANTILEVER ARM EPC (MCG) COMPLETE	Slotted C/L Arms (FPA type) 450mm Length x 1.6mm (P2000 Arm) Back Plate : 150mm x 45mm x 6mm - EPC (i0008707)	2	236.00
i0005867	890.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - EPC (i0008706)	2	88.00
		Fastener Pack	1	222.84
550mm	AIRCON SET 550MM SLOTTED CANTILEVER ARM EPC (MCG) COMPLETE	Slotted C/L Arms (FPA type) 550mm Length x 1.6mm (P1000 Arm) Back Plate : 150mm x 45mm x 6mm - EPC (i0008708)	2	255.00
i0005868	928.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - EPC (i0008706)	2	88.00
		Fastener Pack	1	222.84
600mm	AIRCON SET 600MM SLOTTED CANTILEVER ARM EPC (MCG) COMPLETE	Slotted C/L Arms (FPA type) 600mm Length x 1.6mm (P1000 Arm) Back Plate : 150mm x 45mm x 8mm - EPC (i0008709)	2	270.00
i0005869	958.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - EPC (i0008706)	2	88.00
		Fastener Pack	1	222.84
650mm	AIRCON SET 650MM SLOTTED CANTILEVER ARM EPC (MCG) COMPLETE	Slotted C/L Arms (FPA type) 650mm Length x 2.0mm (P1000 Arm) Back Plate : 150mm x 45mm x 8mm - EPC (i0008714)	2	308.00
i0005870	1034.84	Backing Channel 41mm x 41mm x 2.0mm thick (P1000) x 250mm Long - EPC (i0008706)	2	88.00
		Fastener Pack	1	222.84
















CABSTRUT BRACKETS

Material: Unless otherwise noted, CAB-STRUT fittings are pressed from hot rolled, pickled and oiled plate or strip steel. Subject to commercial tolerances. **Standard Dimensions:** The following dimensions apply to all fittings except where noted on the part drawing:










Hole size, 14 mm diameter, Hole spacing: 20 mm from end of fitting, 48 mm centre to centre: Fitting width: 40 mm unless otherwise stated; Fitting thickness: 6 mm unless otherwise stated. All dimensions subject to commercial tolerances. Standard finish HDG.

P1061 A=7mm P1062 A=9mm P1063 A=11mm P1064 A=14mm 16.50 	P1065 156g 39.00 	P1066 240g 60.00 	P1067 323g 90.00 	P1941 408g 115.00 
P1924 150g 45.00 	P2079 300g 90.00 	P1036 255g 80.00 	P1031 352g 105.00 	P1028 400g 220.00 
P1979 300g 100.00 	P1356 300g 100.00 	P1358 492g 150.00 	P1380 400g 150.00 	P1953 754g 260.00 

90°ANGLE FITTINGS

P1026 160g 40.00 	P1068 160g 40.00 	P1325 323g 82.00 	P1326 240g 65.00 	P1458 240g 60.00 
P1034 352g 140.00 	P1035 352g 140.00 	P1033 352g 140.00 	P2484 560g (Replaces 1331 & 1332) 155.00 	P1037 255g 100.00 
P1038 255g 100.00 	P1357 306g 115.00 	P1359 492g 160.00 	P1993 762g 240.00 	P1727 660g 220.00 






"U" Shape

P1047 400g 93.00 	P4047 300g 80.00 	P1737 500g 100.00 	P1044 300g 80.00 	P4376 400g 120.00 
P4376-A 600g 150.00 	P4377 800g 180.00 	P1377 900g 260.00 	P2346 800g 300.00 	

CABSTRUT BRACKETS

"Z" SHAPE






Standard finish HDG.

P1045 300g 70.00 	P4045 200g 50.00 	P1347 300g 72.00 	P4347 200g 60.00 	P1450 Cable Ladder Hold-down Bracket 140g 25.00 
--	--	--	---	--

TROLLEY ASSEMBLY

BASE PLATES






SLOTTED FITTINGS

P2750 Trolley Assembly 400.00 P1000 Channel 	P2072-S1 500g 150.00 	P2073/A 1300g 360.00 	P1749 200g 50.00 	P1747 300g 75.00 
--	--	--	--	--






Ideal for sliding doors, welding curtains etc.

SLOTTED FITTINGS


BEAM CLAMPS


P1713 500g 180.00 	P1130 A=170 B=66 800g 270.00 P1131 A=220 B=116 1000g 330.00 	P1270 200g 900.00+ (2x13.00) 926.00 	P1271 500g 122.00+ 13.00 135.00 	P1272 200g 60.00+ 10.00 70.00 
---	--	---	---	---

BEAM CLAMPS

P1272/U 280g Accepts Thread Rod 100 Max. 100.00+ 10.000 110.00 	P1796 500g 128.00+ 13.00 141.00 	Purlin Clamp 3mm Thick 8mm 24.00 10mm 26.00 12mm 27.00 	Flange Clamp 6mm 21.00 8mm 35.00 10mm 52.00 12mm 66.00 	P2785 110.00 
--	---	--	---	---




BEAM CLAMPS

P2786 120.00 



**BEAM CLAMPS
ARE NOT
RECOMMENDED
FOR USE IN THE
VERTICAL PLANE**

ANGLE FITTINGS

P1032 352g 120.00 	P1072 161g 50.00 	P1073 240g 70.00 
--	--	--

ANGLE FITTINGS


P1074 323g 96 45° 96 89.00	P1191 320g 68 45° 80.00	P1192 320g 68 45° 80.00	<table><tr><td></td><td>A</td><td>B mm</td><td></td><td>A</td><td>B mm</td></tr><tr><td>P1546</td><td>45°</td><td>58</td><td>P2097</td><td>60°</td><td>48</td></tr><tr><td>P2094</td><td>82½°</td><td>43</td><td>P2098</td><td>52½°</td><td>52</td></tr><tr><td>P2095</td><td>75°</td><td>43</td><td>P2099</td><td>37½°</td><td>46</td></tr><tr><td>P2096</td><td>67½°</td><td>46</td><td>P2100</td><td>37½°</td><td>67</td></tr><tr><td colspan="6">P1546 - P2100 255g</td></tr></table>		A	B mm		A	B mm	P1546	45°	58	P2097	60°	48	P2094	82½°	43	P2098	52½°	52	P2095	75°	43	P2099	37½°	46	P2096	67½°	46	P2100	37½°	67	P1546 - P2100 255g						C B A° 70.00
	A	B mm		A	B mm																																			
P1546	45°	58	P2097	60°	48																																			
P2094	82½°	43	P2098	52½°	52																																			
P2095	75°	43	P2099	37½°	46																																			
P2096	67½°	46	P2100	37½°	67																																			
P1546 - P2100 255g																																								

70.00

ANGLE FITTINGS


	A	B mm
P2101	30°	82
P2102	22½°	82
P2103	15°	82
P2104	7½°	82

P2101 - P2104 255g



70.00


	A	B mm
P1186	45°	78
P2105	82½°	65
P2106	75°	67
P2107	67½°	69
P2108	60°	73
P2109	52½°	74
P2110	37½°	86




P1186 - P2110 252g

70.00

VARIABLE ANGLE FITTINGS

P1843 86.00 
--

P1354 125.00 

PIPE & CABLE CLAMPS

SPLIT CLAMPS

- Standard finish galvanised (EG)
- Rubber insert
- Pull strength 600kg
- Twist strength 8kg

Material/Finish:

Mild Steel Zinc-Electroplated (EG)

Pipe Clamp Sizes:

Diameter range stated is the suitable pipe O.D range

Safe Working Load (tensile) :
200 kg

Sound Reduction:
18 dB (A)


Working Temperature Range:
-40°C / + 110°C

Fire resistance:

Class B2 (DIN 4102)

Rubber : EPDM Rubber
(Ethylene Propylene Diene Monomer (M-class) rubber)
Thickness : 4 -5mm

REF Diameter	T (mm)	A (mm)	B (mm)	C (mm)	C (mm)
SC/12-16 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	33.00
SC/15-19 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	33.40
SC/20-25 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	35.00
SC/26-30 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	38.00
SC/32-36 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	40.00
SC/38-43 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	41.50
SC/47-51 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	45.50
SC/53-58 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	53.00
SC/60-64 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	54.00
SC/68-72 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	58.00
SC/75-80 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	62.00
SC/81-86 ZP R/L	2.0	20.0	M6 x 20mm	M8 / M10	63.00
SC/87-92 ZP R/L	2.5	20.0	M6 x 20mm	M8 / M10	69.50
SC/99-105 ZP R/L	2.5	20.0	M6 x 20mm	M8 / M10	70.50
SC/107-112 ZP R/L	2.5	20.0	M6 x 20mm	M8 / M10	80.50
SC/113-118 ZP R/L	2.5	20.0	M6 x 20mm	M8 / M10	83.50
SC/125-130 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	90.80
SC/132-137 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	100.80
SC/138-142 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	110.00
SC/148-152 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	117.00
SC/159-166 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	128.00
SC/200-212 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	141.00
SC/215-220 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	157.00
SC/249-254 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	177.00
SC/314-319 ZP R/L	2.5	20.0	M6 x 25mm	M8 / M10	200.00



Traditional 2/Piece Clamps

- Standard Finish: Galvanised (PG)
- Fasteners (EG) Supplied separately
- Design Load
- Safety Factor of 5




Part No.	Overall Ø	Fasteners Required	Design Load	Material Thickness	Price
P2025	8,5-10,0	M6 x 20mm Gutter Bolt & Nut Required	180 kg	1,5mm	15.00
P1108	10,5-12,5		180 kg	1,5mm	15.00
P2026	11,5-13,5		180 kg	1,5mm	15.00
P1108-A	10,5-14,0		180 kg	1,5mm	15.00
P2027	14,5-16,5		180 kg	1,5mm	15.00
P1109	16,0-18,5		180 kg	1,5mm	15.00
P2028	17,0-19,5	M6 x 25mm Gutter Bolt & Nut Required	180 kg	1,5mm	15.00
P1111	21,0-25,5		180 kg	1,5mm	15.00
P2030	25,5-28,0		180 kg	2,0mm	20.00
P1112	27,0-30,0		270 kg	2,0mm	20.60
P2032	30,0-33,5	M8 x 35mm Hex Set Screw & M8 Hex Nut Required	270 kg	2,0mm	21.80
P1113	32,0-36,0		270 kg	2,0mm	22.30
P2034	35,0-40,0		270 kg	2,0mm	23.90
P1114	38,0-44,0		270 kg	2,0mm	25.20
P1115	45,0-51,0		360 kg	2,5mm	36.00
P2038	49,0-52,0		360 kg	2,5mm	37.00
P2039	51,0-56,0	M10 x 50mm Hex Set Screw & M10 Hex Nut Required	360 kg	2,5mm	37.50
P1117	54,0-70,0		360 kg	2,5mm	40.60
P2043	62,0-75,0		360 kg	2,5mm	44.00
P1118	71,0-85,0		360 kg	2,5mm	46.60
P1119	87,0-95,0	M10 x 60mm Hex Set Screw & M10 Hex Nut Required	360 kg	2,5mm	48.00
P1120	99-110		360 kg	2,5mm	57.80
P1121	110-122		360 kg	2,5mm	63.20
P1122	116-140		360 kg	2,5mm	67.40
P1123	135-145		360 kg	2,5mm	70.00
P1124	141-175		360 kg	3,0mm	91.00
P1125	160-200		360 kg	3,0mm	101.00
P1126	196-230		360 kg	3,0mm	110.00
P1127	225-270		360 kg	3,0mm	123.00
P1129	245-280		360 kg	3,0mm	131.00

TP 2/Piece Clamps

- Supplied as one piece including fastener
- Designed for use with Cab-Strut channel
- Practical range of eleven convenient sizes
- Body and screw galvanised (EG)
- Design load 200kg (safety factor of 5)
- Suitable for pipework and cables

Part Number	Overall Diameter mm	Bolt Size mm	Material Thickness mm	Price
TP15/20	15-20	M6 x 20	1,6	16.60
TP20/25	20-25	M6 x 20	1,6	20.20
TP25/30	25-30	M6 x 20	1,6	21.20
TP30/40	30-40	M6 x 20	2,0	29.20
TP40/50	40-50	M8 x 20	2,0	32.20
TP50/60	50-60	M8 x 20	2,0	38.30
TP60/70	60-70	M8 x 20	2,0	41.60
TP70/80	70-80	M8 x 20	2,5	52.60
TP80/90	80-90	M8 x 20	2,5	57.50
TP90/100	90-100	M8 x 30	2,5	60.30
TP100/110	100-110	M8 x 30	2,5	64.60
TP110/120	110-120	M8 x 30	2,5	68.70
TP120/130	120-130	M8 x 30	2,5	72.10



Strap Clamps

- Supplied with strap, studs, nuts, washers and collets
- Designed for use with Cab-Strut channel
- Practical range of four convenient straps which are fully adjustable and offer a very flexible range of sizes
- Strap, studs, nuts, washers and collets galvanised (EG)
- Suitable for large diameter poles and pipes

Part Number	Diameter	Strap Length	Thread Size	Stud Length	Price
i0004226	75-100mm	160mm	M10	85mm	110.00
i0004227	100-125mm	200mm	M10	95mm	115.00
i0004228	125-150mm	230mm	M10	115mm	120.00
i0004229	150-175mm	295mm	M10	120mm	125.00
i0004230	175-200mm	325mm	M10	135mm	130.00




PIPE & CABLE CLAMPS

"Q" CLAMPS- SG GALVANISED

Clamp Size	Bolt Size	Price	Clamp Size	Bolt Size	Price
Q16mm	M6	27.20	Q52mm	M8	56.60
Q20mm	M6	29.70	Q58mm	M8	62.00
Q26mm	M6	30.80	Q66mm	M8	66.40
Q32mm	M6	36.40	Q70mm	M8	68.00
Q40mm	M8	49.70	Q78mm	M8	71.90
Q46mm	M8	50.80			

Light & strong
Body galvanised (SG)
Screw galvanised (SG)
One common clamp for all applications



Cable Ladder Cross Rung

Angle Iron

"Q" CLAMPS- SS304 S/Steel

Clamp Size	Bolt Size	Price	Clamp Size	Bolt Size	Price
Q16mm	M6	65.80	Q52mm	M8	142.90
Q20mm	M6	71.90	Q58mm	M8	157.20
Q26mm	M6	74.80	Q66mm	M8	168.00
Q32mm	M6	90.80	Q70mm	M8	179.40
Q40mm	M8	120.40	Q78mm	M8	190.80
Q46mm	M8	128.20			

Light & strong
Body SS304 S/Steel
Screw SS304 S/Steel
One common clamp for all applications



CAB-STRUT Channel




Wire Mesh Tray

P75 HANGER CLAMPS

Part Number	NOM. BORE	A Ø (mm)	B (mm)	C (mm)	D (mm)	E (mm)	Price
P75/15	15	21	52	25	1,6	M8	15.70
P75/20	20	27	57	25	1,6	M8	16.70
P75/25	25	34	68	25	1,6	M8	17.00
P75/32	32	42	75	25	1,6	M8	20.50
P75/40	40	48	87	25	1,6	M8	21.40
P75/50	50	60	110	25	1,6	M8	24.80
P75/65	65	76	118	25	2,0	M10	41.00
P75/80	80	89	129	25	2,0	M10	45.50
P75/100	100	114	152	25	2,0	M10	67.00
P75/125	125	140	194	25	2,5	M10	160.00
P75/150	150	166	228	25	3,0	M10	187.80
P75/200	200	219	295	30	3,5	M12	210.80


- Standard finish galvanised (PG)
- Fasteners (EG)
- Suitable for hanging plumbing, drainage and sprinkler pipes



SADDLE CLAMPS

Part No.	Nom. Bore	A Ø (mm)	Bolt (mm)	Price	Part No.	Nom. Bore	A Ø (mm)	Bolt (mm)	Price
SS1	15	21	M6	9.30	SS1/7	80	88	M8	25.80
SS1/1	20	26	M6	10.40	SS1/8	100	101	M8	28.30
SS1/2	25	34	M6	13.40	SS1/9	125	114	M8	38.40
SS1/3	32	42	M6	15.00	SS1/10	150	142	M8	61.30
SS1/4	40	48	M6	16.80	SS1/11	-	173	M8	72.50
SS1/5	50	60	M6	18.00	SS1/12	200	225	M8	91.00
SS1/6	65	76	M6	21.60					


Standard finish galvanised (PG)
Fasteners not included (see page 33)



ALUMINIUM TREFOIL CLAMPS

Part No.	Cable Size A (mm)	Mat. (mm)	Bolt (mm)	Plate Length (mm)	Price
TR-30	30	4,5	M6	120	204.00
TR-37	37	4,5	M6	149	222.00
TR-42	42	4,5	M6	174	258.00
TR-48	48	4,5	M6	174	274.00
TR-53	53	4,5	M6	199	291.00
TR-57	57	4,5	M6	199	296.00
TR-63	63	4,5	M6	224	302.00

- No magnetic circuit can be created in aluminium
- Trefoil clamps can withstand a rupturing capacity of 95kA at 750mm spacings



CABLE DIAMETER/MASS

Approximate calculated dimension and nett mass per 100 metres				Gland to suit
Rated area mm²	Number of cores	Max. overall dia. mm	Nett mass kg/100m	
1,5	2	13,7	33	0
	3	14,2	37	0
	4	15,1	41	0
	7	17,6	55	1
	12	22,9	89	2
2,5	2	14,5	39	0
	3	16,1	43	0
	4	16,9	51	1
	7	20,0	79	2
4	2	16,8	49	0
	3	17,5	55	1
	4	19,4	75	1
	7	22,5	101	2
6	2	18,6	67	1


Approximate calculated dimension and nett mass per 100 metres				Gland to suit
Rated area mm²	Number of cores	Max. overall dia. mm	Nett mass kg/100m	
6	3	19,6	77	1
	4	20,9	89	1
	2	20,7	85	1
10	3	21,9	99	2
	4	23,4	117	2
	2	23,1	108	2
16	3	25,9	149	2
	4	27,9	176	3
	2	22,4	113	2
25	3	26,9	173	3
	4	29,1	211	3
	2	23,9	138	2
35	3	28,8	213	3
	4	32,5	283	4


Approximate calculated dimension and nett mass per 100 metres				Gland to suit
Rated area mm ²	Number of cores	Max. overall dia. mm	Nett mass kg/100m	
35	3	33,2	295	4
50	4	36,5	367	4
	3	36,5	275	4
70	4	40,2	471	4
	3	41,3	486	4
95	4	45,2	610	5
	3	43,7	567	5
120	4	47,9	716	5
	3	47,4	685	5
150	4	53,7	922	6
	3	53,0	864	6
185	4	58,7	1092	6
	3	59,2	1076	6
240	4	66,7	1438	7

CABSTRUT FASTENERS & ANCHORS


Standard finish galvanised (EG). SG finish or other materials and finishes on request.

STRUT Nuts AVAILABLE WITH OR WITHOUT SPRINGS  Price Per Each	Nuts for P1000 & P2000		
		EG	
		No Spring	Spring
	CSN106/M6	9.50	10.70
	CSN108/M8	11.60	13.00
	CSN110/M10	12.80	14.40
	CSN112/M12	12.80	14.40
	Nuts for P3300 & P4000		
	CSN406/M6	10.50	-
	CSN408/M8	12.80	-
	CSN410/M10	14.30	-
	CSN412/M12	14.30	-

Thread Rod (1&3m Long)	Size	1m	3m
	M6	31.80	95.40
	M8	50.90	152.70
	M10	77.80	233.40
	M12	116.00	348.00

STUD NUTS	Size (mm)	Price Per Each
	M10 x 85	39.60
	M10 x 95	40.20
	M10 x 115	40.50
	M10 x 120	41.30
	M10 x 135	41.90


Hex Set Screw (Price/Ea.)	Size	M6	M8	M10	M12
	20 mm	1.38	3.05	4.70	7.60
	25 mm	1.54	3.20	5.45	8.70
	30 mm	1.87	3.60	5.85	9.25
	35 mm	1.98	3.80	7.10	9.60
	40 mm	2.15	4.10	7.65	10.00
	50 mm	3.08	4.95	8.00	11.00
	60 mm	3.30	5.40	8.55	11.70

SLEEVE ANCHOR	Size (mm)	Price Per Each
	8 x 40	7.00
	8 x 65	7.80
	8 x 85	9.20
	10 x 50	10.60
	10 x 75	13.80
	10 x 100	16.00
	12 x 60	18.10
	12 x 75	22.80
	12 x 100	27.00
	16 x 65	42.50

SHIELD ANCHOR	Size (mm)	Price Per Each
	M6	11.00
	M8	17.00
	M10	29.00
	M12	44.00

DROP-IN ANCHOR	Size (mm)	Price Per Each	Setting Punch Price Per Each
	M6	4.00	50.00
	M8	6.00	50.00
	M10	8.00	100.00
	M12	16.00	120.00


NAIL-IN ANCHOR	Size (mm)	Price Per Each
	5 x 35	1.60
	6 x 35	1.90
	6 x 60	2.70
	6 x 70	3.10
	8 x 60	4.00
	8 x 80	5.00
	8 x 100	7.00
	8 x 120	8.00

Nylock Nut	Size	Price/Ea.
	M6	0.70
	M8	1.30
	M10	2.65
	M12	3.65

Hex Nut	Size	Price/Ea.
	M6	0.55
	M8	1.20
	M10	2.90
	M12	3.45

Coupler Nut	Size	Price/Ea.
	M6	4.80
	M8	6.00
	M10	12.00
	M12	16.00

Flat Washer	Size	Price/Ea.
	M6	0.23
	M8	0.43
	M10	0.70
	M12	1.25

Fender Washer	Size	Price/Ea.
	M6	1.33
	M8	1.50
	M10	2.35
	M12	2.70

Spring Washer	Size	Price/Ea.
	M6	0.18
	M8	0.28
	M10	0.55
	M12	0.80

Gutter Bolt & Nut - M6	Size	Price/Ea.
	12mm	1.70
	16mm	1.85
	20mm	2.05
	25mm	2.25
	30mm	2.55

*Cup Square Bolt, Nut & Washer	Size	Price/Ea.
	EG	SS316
	M6x16	2.10 11.25
	M8x16	4.40 20.70

Cone Point Screw 45mm	Size	Price/Ea.
	EG	SS316
	M10	10.00 60.50
	M12	13.00 63.80


*Mush. Hd. Screw, Nut & Washer	Size	Price/Ea.
	M10 x 20mm	8.00

* Stainless Galv

GRIPPLE HANGERS

The Revolutionary
Wire Hanger System

- Replace threaded rod & chain
- Easy to use and install
- Saves time and money
- Fast, versatile, simple to use
- Load rated and safe
- Standard finish - galvanised
- Stainless steel available on request
- Reduces structural stress
- Strong yet lightweight
- Aesthetic
- Proof tested
- No joints
- No extra connectors
- No additional bearers
- No brackets



Pre-packed Kits:

Order kits containing specified Gripple number, wire cut to length, setting key and wire end tidy clip


Ready made lengths from 1m to 10m come as standard

100m coils available




No. 2 Gripple Hanger - Loop End

REF	A (m)	B Ø (mm)	 Kg	PRICE	SWL Safety Factor:5
LE2001	1.0	2.0	10-45	116.00	
LE2002	2.0	2.0	10-45	124.00	
LE2003	3.0	2.0	10-45	131.00	
LE2004	4.0	2.0	10-45	138.00	
LE2005	5.0	2.0	10-45	147.00	
LE2006	6.0	2.0	10-45	155.00	
LE2007	7.0	2.0	10-45	162.00	
LE2008	8.0	2.0	10-45	168.00	
LE2009	9.0	2.0	10-45	176.00	
LE2010	10.0	2.0	10-45	185.00	




100 metre coil 2mm **725.00**




No. 3 Gripple Hanger - Loop End

REF	A (m)	B Ø (mm)	 Kg	PRICE	SWL Safety Factor:5
LE3001	1.0	3.0	45-90	161.00	
LE3002	2.0	3.0	45-90	174.00	
LE3003	3.0	3.0	45-90	188.00	
LE3004	4.0	3.0	45-90	203.00	
LE3005	5.0	3.0	45-90	218.00	
LE3006	6.0	3.0	45-90	231.00	
LE3007	7.0	3.0	45-90	244.00	
LE3008	8.0	3.0	45-90	259.00	
LE3009	9.0	3.0	45-90	272.00	
LE3010	10.0	3.0	45-90	288.00	




100 metre coil 3mm **1159.00**




No. 2 Gripple Hanger - M6 Stud End

REF	A (m)	B Ø (mm)	 Kg	PRICE	SWL Safety Factor:5
SE2001	1.0	2.0	10-45	143.00	
SE2002	2.0	2.0	10-45	151.00	
SE2003	3.0	2.0	10-45	159.00	
SE2004	4.0	2.0	10-45	167.00	
SE2005	5.0	2.0	10-45	175.00	
SE2006	6.0	2.0	10-45	180.00	
SE2007	7.0	2.0	10-45	191.00	
SE2008	8.0	2.0	10-45	198.00	
SE2009	9.0	2.0	10-45	203.00	
SE2010	10.0	2.0	10-45	213.00	




M8 STUD END ON REQUEST ONLY




No. 3 Gripple Hanger - M6 Stud End

REF	A (m)	B Ø (mm)	 Kg	PRICE	SWL Safety Factor:5
SE3001	1.0	3.0	45-90	184.00	
SE3002	2.0	3.0	45-90	198.00	
SE3003	3.0	3.0	45-90	213.00	
SE3004	4.0	3.0	45-90	228.00	
SE3005	5.0	3.0	45-90	243.00	
SE3006	6.0	3.0	45-90	257.00	
SE3007	7.0	3.0	45-90	272.00	
SE3008	8.0	3.0	45-90	284.00	
SE3009	9.0	3.0	45-90	297.00	
SE3010	10.0	3.0	45-90	316.00	



M8 STUD END ON REQUEST ONLY




GRIPPLE HANGERS

The Revolutionary Wire Hanger System

No. 4 Gripple Hanger - Loop End

REF	A (m)	B Ø (mm)	Q S Kg	PRICE	SWL Safety Factor:5
LE5001	1.0	5.0	90-225	279.00	
LE5002	2.0	5.0	90-225	309.00	
LE5003	3.0	5.0	90-225	345.00	
LE5004	4.0	5.0	90-225	375.00	
LE5005	5.0	5.0	90-225	404.00	
LE5006	6.0	5.0	90-225	441.00	
LE5007	7.0	5.0	90-225	470.00	
LE5008	8.0	5.0	90-225	507.00	
LE5009	9.0	5.0	90-225	536.00	
LE5010	10.0	5.0	90-225	564.00	



100 metre coil 5mm **2890.00**

Standard Accessories

Anchor Adaptor

M6 x 20
20.30

M8 x 25
31.40



Wire End Tidy Clip (Included in Kit)

Only 2 & 3mm
5.30



Aluminum Ferrules

Size	Price
2 mm	2.10
3 mm	2.60
4 mm	3.90
5 mm	5.50
6 mm	6.35



No. 5 Gripple Hanger - Loop End

REF	A (m)	B Ø (mm)	Q S Kg	PRICE	SWL Safety Factor:5
LE6001	1.0	6.0	225-325	646.00	
LE6002	2.0	6.0	225-325	690.00	
LE6003	3.0	6.0	225-325	727.00	
LE6004	4.0	6.0	225-325	767.00	
LE6005	5.0	6.0	225-325	809.00	
LE6006	6.0	6.0	225-325	845.00	
LE6007	7.0	6.0	225-325	882.00	
LE6008	8.0	6.0	225-325	925.00	
LE6009	9.0	6.0	225-325	967.00	
LE6010	10.0	6.0	225-325	1007.00	



100 metre coil 6mm **3985.00**




i0001534

Wire Rope Cutter **1200.00**

GRIPPLE "Y" SYSTEM

The Revolutionary Wire Hanger System

Width	No 2 2.0mm	No 3 3.0mm
50 - 300mm	133.00	145.00
300 - 600mm	142.00	154.00



GRIPPLE EXPRESS XP The Revolutionary Wire Hanger System

Gripple Express XP

The Express No.1 and No.2 offers an instant locking system to make adjustment even easier.

- The Express No.1 is ideal for signage, shop fitting, lighting and other lightweight fixtures
- The Express No.2 is ideal for mechanical and electrical applications
- Up to 6 times faster to install than traditional methods
- Keyless - no tool required for adjustment
- Ergonomic buttons allow rapid adjustment
- Discreet and aesthetic design


GRIPPLE ANGEL Y-FIT The Revolutionary Wire Hanger System

Lighting Solutions

Designed for architectural lighting suspensions, signage, acoustic baffles and installations where aesthetics are important.


- Simple one handed operation for easy adjustment
- Contemporary design to complement the overall suspension
- Extensive range of end fixings allowing installation in most locations
- Variety of feet fixings to enable attachment to different fixing points
- Uses 1.5 mm wire rope to make the suspension as discreet as possible


Gripple Angel Y-Fit - Toggle End


REF	A (mm)	Ⓢ Kg	PRICE
i0016944	150	0-15	227.00
i0016945	300	0-15	228.00
i0016946	460	0-15	230.00


Gripple Angel Y-Fit - Snap Hook End

REF	A (mm)	Ⓢ Kg	PRICE
i0016947	150	0-15	295.00
i0016948	300	0-15	296.00
i0016949	460	0-15	297.00


Gripple Angel Y-Fit Loop End Wire Only



REF	A (m)	Ⓢ Kg	PRICE
i0016950	1	0-15	29.00
i0016951	2	0-15	35.00
i0016952	3	0-15	41.00


Gripple Angel Y-Fit Stud End Wire Only

REF	A (m)	Ⓢ Kg	PRICE
i0016953	1	0-15	47.00
i0016954	2	0-15	53.00
i0016955	3	0-15	59.00


Gripple Angel Y-Fit Top-Hat End Wire W/O Angel Fitting

REF	A (m)	Ⓢ Kg	PRICE
i0016956	1	0-15	139.00
i0016957	2	0-15	150.00
i0016958	3	0-15	158.00



CAB-CLIPS Quick Find Index

Tools Required		For Fixing To					
 Screwdriver  Drill  Hammer  Waterpump Pliers		FLANGES	PURLINS	CHANNELS "STRUT"	FACINGS/ SOFFITS	RODS/TUBE CONDUIT	CEILING STRIP/MISC.
Loading  S Kg Static SF 3:1  U Kg Ultimate SF:Nil					 Timber	 Threaded Rod	
Finish (Unless otherwise stated) S.G. Zinc Plated 12-15 microns for enhanced corrosion protection (600 hours+)					 Brick/Mortar	 Cable & Tube	
Fixing Type		Page					
FLANGE    		37					
THREADED ROD    		38-39					
CABLE & TUBE    		39-42					
Z-PURLIN    		49-50					
CABLE TIE    		43					
STRAP    		44					
CLAMPS/MISCELLANEOUS    		45					



Cab-Clip Electrical and Mechanical Fixing Systems

Ideal for:

- Cables
- Trunking
- Cable tray
- Conduit
- Pipework
- Ducting
- Light fittings
- Suspended ceilings

- Labour saving
- Reduced installation time
- Hammer or push on

CAB-CLIPS Technical & Commercial

Material

- Spring Steel conforming to BS EN 1449 Part 1.15 Grade CS 70
- Austempered and hardened to HRC 38.52

Quality Assurance

- Generally in accordance with BS EN 9001
- Every batch comprehensively inspected and tested to destruction
- Similar testing on product from alternative Q.A. approved sources

Loading

- Loads indicated are in kilograms for stationary vertical loads as indicated
- All loads are for clips used on standard construction steelwork. Not recommended for use on stainless steel or aluminium support structures

-  Static loads safety factor 3 to 1

-  Ultimate loads maximum safe usable

Corrosive Protection

- Unless otherwise indicated spring steel fasteners are finished SG specifications
- SG - Zinc Plated 12 to 15 micron for enhanced corrosion protection (600 HR+)

- EG - Zinc electroplated 5 to 8 microns with bright passivation to SABS ISO 4042:1999 (BS7371 Part 1:1991) for threaded articles up to 19mm diameter.
- EP - Powder coating to SABS 1274:1979. Various different powder coating types for indoor, outdoor, industrial, marine and marine industrial applications are available.
- HDG - Mild steel to BS 1449 Part 1, hot-dip galvanised after manufacture to SABS ISO 1461:1999 (formerly SABS 763/ BS 729)

Warranty

- Our products are warranted free of defect at time of shipment
- Sole and exclusive remedy is limited at our option to repair or replacement of products supplied by us

Liability

- Liability is disclaimed for any incidental or consequential damage
- No authorisation will ever be granted to any person, to assume on our behalf any obligation other than as stated above

Misuse


- No liability will be assumed for misapplication, this includes:
 - Use in non-standard (aggressive/hostile) environments
 - Use on aluminium or similar softer "fix to" materials
 - Overloading or use other than indicated

FLANGE FIXINGS

Beam Clip

Beam Clip available in sizes to suit horizontal flanges from 1.5-20mm thick. 6.5mm hole receives hook, chain or nut and bolt connection.


REF	T (mm)	A (mm)	B Ø (mm)		PRICE
BC153	1.5-3	16	6.5	72	12.30
BC38	3-8	18	6.5	90	20.80
BC814	8-14	26	6.5	90	22.60
BC1420	14-20	30	6.5	90	24.90



Vertical Flange Clip

Hammer on clip for vertical flanges from 1.5-7mm thick. 6.5 hole receives hook, chain or nut and bolt connection.


REF	T (mm)	A (mm)	B (mm)	C Ø (mm)		PRICE
VF155	1.5-5	53	19	6.5	72	16.40
VF57	5-7	53	19	6.5	72	16.40



Universal Beam Clip

Universal Beam Clip available in sizes to suit horizontal flanges from 3-20mm thick. Suitable for horizontal and vertical screw/bolt connection.


REF	T (mm)	A (mm)	B (mm)	C Ø (mm)		PRICE
UBC38	3-8	36		M6	45	31.70
UBC38S	3-8	36	M6x12	M6	45	36.90
UBC814	8-14	36		M6	45	35.20
UBC814S	8-14	36	M6x12	M6	45	39.60
UBC1420	14-20	36		M6	45	41.00
UBC1420S	14-20	36	M6x12	M6	45	44.20



Large Beam Clip

Large Beam Clip to suit horizontal flanges from 23-30mm. Simple solution for fixing to oversized steel.


REF	T (mm)	A (mm)	B Ø (mm)		PRICE
LBC2330	23-30	25	6.5	20	31.40



Master Clamp

Screw clamp for horizontal flanges from 2-18mm thick. Suitable for horizontal and vertical screw/bolt connection.

REF	T (mm)	A (mm)	B Ø (mm)	C Ø (mm)	D Ø (mm)	E Ø (mm)	F Ø (mm)	G Ø (mm)		PRICE
SC65	2-18	34	M6	6.5	M6	6.5	M4	10.7	45	42.60
SC107	2-18	34	M6	10.7	M6	6.5	M4	10.7	45	42.60




CAB-CLIPS

THREADED ROD FIXINGS

Threaded Rod Hanger

Threaded Rod Hanger for fixing to vertical faces. Suits threaded rod M6, M8, M10 and M12. RH127 requires nut to secure.

REF	A (mm)	B Ø (mm)	C Ø (mm)	Ø S	PRICE
RH6T	28	6.5	M6	68	16.20
RH8T	28	6.5	M8	68	16.20
RH10T	28	6.5	M10	68	16.20
RH127	28	6.5	12.7	68	16.20




Beam Clip / Threaded Rod Hanger Combination

Beam Clip to suit horizontal flanges 1.5-20mm thick. Incorporating Threaded Rod Hanger for rod diameters M6, M8, M10 and M12. RH127 requires nut to secure.

REF	T (mm)	A (mm)	B Ø (mm)	Ø S	PRICE
BC153-RH6T	1.5-3	44	M6	68	41.40
BC153-RH8T	1.5-3	44	M8	68	41.40
BC153-RH10T	1.5-3	44	M10	68	41.40
BC153-RH127	1.5-3	44	12.7	68	41.40
BC38-RH6T	3-8	46	M6	68	48.90
BC38-RH8T	3-8	46	M8	68	48.90
BC38-RH10T	3-8	46	M10	68	48.90
BC38-RH127	3-8	46	12.7	68	48.90
BC814-RH6T	8-14	54	M6	68	50.70
BC814-RH8T	8-14	54	M8	68	50.70
BC814-RH10T	8-14	54	M10	68	50.70
BC814-RH127	8-14	54	12.7	68	50.70


BC1420-RH6T	14-20	60	M6	68	52.60
BC1420-RH8T	14-20	60	M8	68	52.60
BC1420-RH10T	14-20	60	M10	68	52.60
BC1420-RH127	14-20	60	12.7	68	52.60



Large Beam Clip / Threaded Rod Hanger Combination

A simple cost-effective solution for fixing onto outsized steelwork Grips firmly onto flanges up to 30mm. Suits threaded rod M6, M8, M10 and M12. RH127 requires nut to secure.

REF	A (mm)	T (mm)	B Ø (mm)	Ø S	PRICE
LBC2330-RH6T	25	23-30	M6	20	58.90
LBC2330-RH8T	25	23-30	M8	20	58.90
LBC2330-RH10T	25	23-30	M10	20	58.90
LBC2330-RH127	25	23-30	12.7	20	58.90



Vertical Flange Clip / Threaded Rod Hanger Combination

Hammer-on Vertical Flange Clip to suit flange thickness 1.5-7mm. Incorporates Threaded Rod Hanger for rod diameters M6, M8, M10 and M12. RH127 requires nut to secure.


REF	T (mm)	A (mm)	B Ø (mm)	Ø S	PRICE
VF155-RH6T	1.5-5	70	M6	68	41.40
VF155-RH8T	1.5-5	70	M8	68	41.40
VF155-RH10T	1.5-5	70	M10	68	41.40
VF155-RH127	1.5-5	70	12.7	68	41.40
VF57-RH6T	5-7	70	M6	68	41.40
VF57-RH8T	5-7	70	M8	68	41.40
VF57-RH10T	5-7	70	M10	68	41.40
VF57-RH127	5-7	70	12.7	68	41.40



Master Clamp / Threaded Rod Hanger Combination

Screw Clamp for horizontal flanges up to 18mm. Incorporates Threaded Rod Hanger to suit rod diameters M6, M8, M10 and M12. RH127 requires nut to secure.

REF	T (mm)	A Ø (mm)	Ø S	PRICE
SC107-RH6T	Max 18	M6	45	62.70
SC107-RH8T	Max 18	M8	45	62.70
SC107-RH10T	Max 18	M10	45	62.70
SC107-RH127	Max 18	12.7	45	62.70



Right Angled Bracket / Threaded Rod Hanger Combination

Right Angle Bracket for soffit fixing. Incorporates Threaded Rod Hanger to suit rod diameters M6, M8, M10 and M12. RH127 requires nut to secure.

REF	A (mm)	B Ø (mm)	C Ø (mm)	Ø S	PRICE
RAB26-RH6T	47	M6	6.5	68	35.00
RAB26-RH8T	47	M8	6.5	68	35.00
RAB26-RH10T	47	M10	6.5	68	35.00
RAB26-RH127	47	12.7	6.5	68	35.00
RAB44-RH6T	65	M6	6.5	68	36.40
RAB44-RH8T	65	M8	6.5	68	36.40
RAB44-RH10T	65	M10	6.5	68	36.40
RAB44-RH127	65	12.7	6.5	68	36.40



Height Adjustable Threaded Rod Hanger

Height Adjustable Threaded Rod Hanger Clip for fixing to vertical faces. Clip flexes to allow rapid adjustment of threaded rod. Suits threaded rod diameter M6, M8 & M10.


REF	A (mm)	B Ø (mm)	C Ø (mm)	Ø S	PRICE
TRH6	55	6.5	M6	60	15.70
TRH8	55	6.5	M8	70	15.70
TRH10	55	6.5	M10	70	15.70



Vertical Flange Clip / Height Adjustable Threaded Rod Hanger Combination

Vertical Flange Clip to suit flanges 1.5-7mm thick, incorporating Height Adjustable Threaded Rod Hanger for threaded rod diameters M6, M8 & M10. Threaded rods adjusted by flexing clip with finger.

REF	T (mm)	A Ø (mm)	Ø S	PRICE
VF155-TRH6	1.5-5	M6	60	44.80
VF155-TRH8	1.5-5	M8	70	44.80
VF155-TRH10	1.5-5	M10	70	44.80
VF57-TRH6	5-7	M6	60	44.80
VF57-TRH8	5-7	M8	70	44.80
VF57-TRH10	5-7	M10	70	44.80




CAB-CLIPS

THREADED ROD FIXINGS

Master Clamp / Height Adjustable Threaded Rod Hanger Combination

Screw Clamp for horizontal flanges up to 18mm. Incorporates Adjustable Threaded Rod Hanger to suit rod diameters M6, M8 & M10.


REF	T (mm)	A Ø (mm)	Ø S	PRICE
SC107-TRH6	Max 18	M6	25	62.20
SC107-TRH8	Max 18	M8	25	62.20
SC107-TRH10	Max 18	M10	25	62.20



Height Adjustable Threaded Rod Hanger Combination

Double Clip for fixing threaded rod to threaded rod, diameters M6, M8 & M10 in various combinations (see tabulated information) Height adjustable by flexing clip with finger.


REF	A Ø (mm)	B Ø (mm)	Ø S	PRICE
TRH6-TRH6	M6	M6	60	43.90
TRH6-TRH8	M6	M8	60	43.90
TRH6-TRH10	M6	M10	60	43.90
TRH8-TRH8	M8	M8	70	43.90
TRH8-TRH10	M8	M10	70	43.90
TRH10-TRH10	M10	M10	70	43.90



Beam Clip / Height Adjustable Threaded Rod Hanger Combination

Beam Clip for horizontal flange fixing, incorporating Height Adjustable Threaded Rod Hanger to suit threaded rod diameter M6, M8 & M10. Beam Clips suit flange thickness 2-20mm

REF	T (mm)	A Ø (mm)	Ø S	PRICE
BC153-TRH6	1.5-3	M6	60	41.20
BC153-TRH8	1.5-3	M8	70	41.20
BC153-TRH10	1.5-3	M10	70	41.20
BC38-TRH6	3-8	M6	60	48.70
BC38-TRH8	3-8	M8	70	48.70
BC38-TRH10	3-8	M10	70	48.70
BC814-TRH6	8-14	M6	60	50.20
BC814-TRH8	8-14	M8	70	50.20
BC814-TRH10	8-14	M10	70	50.20
BC1420-TRH6	14-20	M6	60	52.40
BC1420-TRH8	14-20	M8	70	52.40
BC1420-TRH10	14-20	M10	70	52.40




CABLE & TUBE FIXINGS

Cable Run Clip

Simple clip available in sizes to suit horizontal or vertical flanges from 2-12mm thick. Suitable for round conduit or cable.


REF	T (mm)	A Ø (mm)	PRICE
CRS4555	2-4	4.5-5.5	10.40
CRS67	2-4	6-7	10.40
CRS89	2-4	8-9	10.90
CRS1011	2-4	10-11	10.90
CRS1214	2-4	12-14	11.30
CRS1519	2-4	15-19	11.30
CRS2024	2-4	20-24	12.50
CRS2532	2-4	25-32	14.20
CRM4555	4-7	4.5-5.5	10.40
CRM67	4-7	6-7	10.40
CRM89	4-7	8-9	10.90
CRM1011	4-7	10-11	10.90
CRM1214	4-7	12-14	11.30
CRM1519	4-7	15-19	11.30
CRM2024	4-7	20-24	12.50
CRM2532	4-7	25-32	14.20
CRL4555	8-12	4.5-5.5	10.40
CRL67	8-12	6-7	10.40
CRL89	8-12	8-9	10.90
CRL1011	8-12	10-11	10.90
CRL1214	8-12	12-14	11.30
CRL1519	8-12	15-19	11.30
CRL2024	8-12	20-24	12.50
CRL2532	8-12	25-32	14.20



Support Clip

Spring clip for horizontal and vertical flanges or threaded drop rods. Designed to support conduit 16-40mm diameter. No tools required.


REF	A (mm)	B Ø (mm)	Ø S	PRICE
<i>(For flanges)</i>				
SC313T	3-5	16-25	45	35.00
	6-9	16-20	45	35.00
	9-13	16	45	35.00
SC320T	3-5	20-38	45	37.10
	6-9	20-35	45	37.10
	9-13	20-30	45	37.10
	13-16	20-25	45	37.10
	16-20	20	45	37.10
<i>(For rod)</i>				
SC313T	M6/M8/M10	20 Max	22	35.00
SC320T	M6/M8/M10	40 Max	22	37.10



Snap-In Conduit Clip

For fixing to vertical or horizontal surfaces. Conduit snaps securely into position. Designed to support conduit 18-33mm diameter.

REF	A (mm)	B Ø (mm)	C Ø (mm)	U	PRICE
SICC1825	38	18-25	6.5	11	15.60
SICC2229	38	22-29	6.5	11	17.10
SICC2933	43	29-33	6.5	11	18.60




CAB-CLIPS

CABLE & TUBE FIXINGS

Locking Conduit Clip

For fixing to vertical or horizontal surfaces. Conduit/cable is held securely in position by locking mechanism. Use pliers to secure. Designed to support conduit/cable 12-57mm diameter.


REF	A (mm)	B Ø (mm)	C Ø (mm)	S	PRICE
LCC1219	44	12-19	6.5	45	24.80
LCC1926	44	19-26	6.5	45	26.90
LCC2632	55	26-32	6.5	45	29.60
LCC3240	68	32-40	6.5	45	32.90
LCC4047	79	40-47	6.5	45	35.10
LCC4757	87	47-57	6.5	45	45.30



Double Run Snap-In Conduit Mount

Double Snap-in Conduit Clips to support multi-directional conduit. Supports conduit 18-33mm diameter. No tools required.


REF	A Ø (mm)	B Ø (mm)	U	PRICE
SICC1825-SICC1825	18-25	18-25	11	40.40
SICC1825-SICC2229	18-25	22-29	11	40.90
SICC1825-SICC2933	18-25	29-33	11	41.50
SICC2229-SICC2229	22-29	22-29	11	41.50
SICC2229-SICC2933	22-29	29-33	11	42.30
SICC2933-SICC2933	29-33	29-33	11	43.00



Beam Clip / Snap-In Conduit Clip Combination

Beam Clip with Snap-In Conduit Clip for fixing to horizontal or vertical flanges. Designed to support conduit 18-33mm diameter


REF	T (mm)	A Ø (mm)	U	PRICE
BC38-SICC1825	3-8	18-25	7	47.80
BC38-SICC2229	3-8	22-29	7	48.70
BC38-SICC2933	3-8	29-33	7	49.30
BC814-SICC1825	8-14	18-25	7	49.80
BC814-SICC2229	8-14	22-29	7	50.70
BC814-SICC2933	8-14	29-33	7	51.30
BC1420-SICC1825	14-20	18-25	7	51.60
BC1420-SICC2229	14-20	22-29	7	52.50
BC1420-SICC2933	14-20	29-33	7	53.10



Double Run Locking Conduit Mount

Double Locking Conduit Clip to support multi-directional conduit. Use pliers to lock. Designed to support conduit 12-57mm diameter.


REF	A Ø (mm)	B Ø (mm)	U	PRICE
LCC1219-LCC1219	12-19	12-19	45	57.80
LCC1219-LCC1926	12-19	19-26	45	62.70
LCC1219-LCC2632	12-19	26-32	45	65.20
LCC1219-LCC3240	12-19	32-40	45	68.90
LCC1219-LCC4047	12-19	40-47	45	70.30
LCC1219-LCC4757	12-19	47-57	45	79.70
LCC1926-LCC1926	19-26	19-26	45	64.60
LCC1926-LCC2632	19-26	26-32	45	67.20
LCC1926-LCC3240	19-26	32-40	45	70.30
LCC1926-LCC4047	19-26	40-47	45	72.30
LCC1926-LCC4757	19-26	47-57	45	81.60
LCC2632-LCC2632	26-32	26-32	45	70.00
LCC2632-LCC3240	26-32	32-40	45	72.80
LCC2632-LCC4047	26-32	40-47	45	74.90
LCC2632-LCC4757	26-32	47-57	45	84.20
LCC3240-LCC3240	32-40	32-40	45	75.80
LCC3240-LCC4047	32-40	40-47	45	78.00
LCC3240-LCC4757	32-40	47-57	45	87.40
LCC4047-LCC4047	40-47	40-47	45	79.70
LCC4047-LCC4757	40-47	47-57	45	89.20
LCC4757-LCC4757	47-57	47-57	45	98.50



Beam Clip / Snap-In Conduit Clip Combination - Reversed

Beam Clip with Snap-In Conduit Clip for fixing to horizontal or vertical flanges. Designed to support conduit 18-33mm diameter.


REF	T (mm)	A Ø (mm)	U	PRICE
BC38-SICC1825R	3-8	18-25	7	47.80
BC38-SICC2229R	3-8	22-29	7	48.70
BC814-SICC1825R	8-14	18-25	7	49.80
BC814-SICC2229R	8-14	22-29	7	50.70
BC814-SICC2933R	8-14	29-33	7	51.30
BC1420-SICC1825R	14-20	18-25	7	51.60
BC1420-SICC2229R	14-20	22-29	7	52.50
BC1420-SICC2933R	14-20	29-33	7	53.10



Beam Clip / Locking Conduit Clip Combination

Beam Clip with Locking Conduit Clip for fixing to horizontal or vertical flanges. Conduit is held adjacent to face of flange. Designed to support conduit/cables 12-57mm diameters.


REF	T (mm)	A Ø (mm)	U	PRICE
BC153-LCC1219	1.5-3	12-19	12	49.20
BC153-LCC1926	1.5-3	19-26	12	51.30
BC153-LCC2632	1.5-3	26-32	12	54.10
BC153-LCC3240	1.5-3	32-40	12	56.90
BC153-LCC4047	1.5-3	40-47	12	58.90
BC153-LCC4757	1.5-3	47-57	12	68.20
BC38-LCC1219	3-8	12-19	12	56.90
BC38-LCC1926	3-8	19-26	12	58.90
BC38-LCC2632	3-8	26-32	12	61.60
BC38-LCC3240	3-8	32-40	12	64.60
BC38-LCC4047	3-8	40-47	12	66.50
BC38-LCC4757	3-8	47-57	12	75.70
BC814-LCC1219	8-14	12-19	12	58.90
BC814-LCC1926	8-14	19-26	12	60.60
BC814-LCC2632	8-14	26-32	12	63.00
BC814-LCC3240	8-14	32-40	12	66.50
BC814-LCC4047	8-14	40-47	12	68.20
BC814-LCC4757	8-14	47-57	12	77.80
BC1420-LCC1219	14-20	12-19	12	60.60
BC1420-LCC1926	14-20	19-26	12	62.70
BC1420-LCC2632	14-20	26-32	12	65.20
BC1420-LCC3240	14-20	32-40	12	68.20
BC1420-LCC4047	14-20	40-47	12	70.30
BC1420-LCC4757	14-20	47-57	12	79.70



Universal Beam Clip / Snap-In Conduit Clip Combination

Universal Beam Clip with Snap-in Conduit Clip for fixing to horizontal or vertical flanges. Designed to support conduit 18-33mm.

REF	T (mm)	A Ø (mm)	U	PRICE
UBC38-SICC1825	3-8	18-25	11	57.90
UBC38-SICC2229	3-8	22-29	11	59.10
UBC38-SICC2933	3-8	29-33	11	59.70
UBC814-SICC1825	8-14	18-25	11	61.40
UBC814-SICC2229	8-14	22-29	11	61.80
UBC814-SICC2933	8-14	29-33	11	62.70
UBC1420-SICC1825	14-20	18-25	11	66.80
UBC1420-SICC2229	14-20	22-29	11	67.60
UBC1420-SICC2933	14-20	29-33	11	68.20




CAB-CLIPS

CABLE & TUBE FIXINGS

Universal Beam Clip / Side Mounted Snap-In Conduit Clip Combination

Universal Beam Clip with side mounted Snap-In Conduit Clip for fixing to horizontal or vertical flanges. Conduit is held away from the edge of flange. Designed to support conduit 18-33mm diameter.


REF	T (mm)	A Ø (mm)	U	PRICE
UBC38-SICC1825SM	3-8	18-25	11	57.90
UBC38-SICC2229SM	3-8	22-29	11	59.10
UBC38-SICC2933SM	3-8	29-33	11	59.70
UBC814-SICC1825SM	814	18-25	11	61.40
UBC814-SICC2229SM	814	22-29	11	61.80
UBC814-SICC2933SM	814	29-33	11	62.70
UBC1420-SICC1825SM	14-20	18-25	11	66.80
UBC1420-SICC2229SM	14-20	22-29	11	67.60
UBC1420-SICC2933SM	14-20	29-33	11	68.20



Universal Beam Clip / Locking Conduit Clip Combination

Universal Beam Clip with Locking Conduit Clip for fixing to horizontal or vertical flanges. Conduit is held adjacent to face of flange. Designed to support conduit 12-57mm diameter. Use pliers to lock.


REF	T (mm)	A Ø (mm)	U	PRICE
UBC38-LCC1219	3-8	12-19	45	67.20
UBC38-LCC1926	3-8	19-26	45	69.30
UBC38-LCC2632	3-8	26-32	45	71.80
UBC38-LCC3240	3-8	32-40	25	75.50
UBC38-LCC4047	3-8	40-47	45	76.70
UBC38-LCC4757	3-8	47-57	45	86.00
UBC814-LCC1219	8-14	12-19	45	70.30
UBC814-LCC1926	8-14	19-26	45	72.10
UBC814-LCC2632	8-14	26-32	45	74.90
UBC814-LCC3240	8-14	32-40	45	77.90
UBC814-LCC4047	8-14	40-47	45	79.70
UBC814-LCC4757	8-14	47-57	45	89.10
UBC1420-LCC1219	14-20	12-19	25	75.70
UBC1420-LCC1926	14-20	19-26	45	77.90
UBC1420-LCC2632	14-20	26-32	45	80.20
UBC1420-LCC3240	14-20	32-40	45	83.50
UBC1420-LCC4047	14-20	40-47	45	85.50
UBC1420-LCC4757	14-20	47-57	45	94.70



Large Beam Clip / Locking Conduit Clip Combination

Large Beam Clip to suit horizontal flanges from 23-30mm thick with Locking Conduit Clip. Designed to support conduit 12-57mm diameter. Use pliers to lock.


REF	T (mm)	A Ø (mm)	U	PRICE
LBC2330-LCC1219	23-30	12-19	10	66.70
LBC2330-LCC1926	23-30	19-26	10	68.70
LBC2330-LCC2632	23-30	26-32	10	71.20
LBC2330-LCC3240	23-30	32-40	10	74.40
LBC2330-LCC4047	23-30	40-47	10	77.20
LBC2330-LCC4757	23-30	47-45	10	85.60



Master Clamp / Snap-In Conduit Clip Combination

Screw Clamp incorporating Snap-in Conduit Clip for horizontal flanges up to 18mm thick. Holds conduit or pipe adjacent to face of flange. Suits conduit or pipe 18-33mm diameter. Conduit Clip swivels 360°.


REF	T (mm)	A Ø (mm)	U	PRICE
SC65-SICC1825	18 Max	18-25	11	82.10
SC65-SICC2229	18 Max	22-29	11	82.70
SC65-SICC2933	18 Max	29-33	11	83.50



Master Clamp / Side Mounted Snap-In Conduit Clip Combination

Screw Clamp incorporating Side Mounted Snap-In Conduit Clip for horizontal flanges up to 18mm thick. Holds conduit or pipe adjacent to edge of flange. Suits conduit or pipe 18-33mm diameter. Conduit Clip swivels 360°.


REF	T (mm)	A Ø (mm)	U	PRICE
SC107-SICC1825	18 Max	18-25	7	82.10
SC107-SICC2229	18 Max	22-29	7	82.70
SC107-SICC2933	18 Max	29-33	7	83.50



Master Clamp / Locking Conduit Clip Combination

Screw Clamp incorporating Locking Conduit Clip for horizontal flanges up to 18mm thick. Holds conduit or pipe adjacent to face of flange. Suits conduit or pipe 12-57mm diameter. Use pliers to lock. Conduit Clip swivels 360°.


REF	T (mm)	A Ø (mm)	U	PRICE
SC65-LCC1219	18 Max	12-19	45	86.70
SC65-LCC1926	18 Max	19-26	45	88.70
SC65-LCC2632	18 Max	26-32	45	91.70
SC65-LCC3240	18 Max	32-40	45	94.10
SC65-LCC4047	18 Max	40-47	45	94.60
SC65-LCC4757	18 Max	47-57	45	103.00



Master Clamp / Side Mounted Locking Conduit Clip Combination

Screw Clamp incorporating side mounted Locking Conduit Clip for horizontal flanges up to 18mm thick. Holds cable, conduit or pipe adjacent to edge of flange. Suits conduit or pipe 12-57mm diameter. Conduit Clip swivels 360°.


REF	T (mm)	A Ø (mm)	U	PRICE
SC107-LCC1219	18 Max	12-19	12	86.70
SC107-LCC1926	18 Max	19-26	12	88.70
SC107-LCC2632	18 Max	26-32	12	91.70
SC107-LCC3240	18 Max	32-40	12	94.10
SC107-LCC4047	18 Max	40-47	12	94.60
SC107-LCC4757	18 Max	47-57	12	103.00



Vertical Flange Clip / Snap-In Conduit Clip Combination

Clips for vertical flanges from 1,5-7mm thick incorporating a Snap-In Conduit Clip for services 18-33mm diameter. Holds services away from face of flange.

REF	T (mm)	A Ø (mm)	U	PRICE
VF155-SICC1825	1.5-5	18-25	11	43.90
VF155-SICC2229	1.5-5	22-29	11	44.90
VF155-SICC2933	1.5-5	29-33	11	45.30
VF57-SICC1825	5-7	18-25	11	43.40
VF57-SICC2229	5-7	22-29	11	44.90
VF57-SICC2933	5-7	29-33	11	45.30




CAB-CLIPS

CABLE & TUBE FIXINGS

Vertical Flange Clip / Locking Conduit Clip Combination

Clips for vertical flanges from 1,5-7mm thick incorporating a Locking Conduit Clip for services 12-57mm diameter. Holds services away from face of flange.


REF	T (mm)	A Ø (mm)	U	PRICE
VF155-LCC1219	1.5-5	12-19	25	53.00
VF155-LCC1926	1.5-5	19-26	25	54.90
VF155-LCC2632	1.5-5	26-32	25	57.80
VF155-LCC3240	1.5-5	32-40	25	58.30
VF155-LCC4047	1.5-5	40-47	25	62.70
VF155-LCC4757	1.5-5	47-57	25	72.10
VF57-LCC1219	5-7	12-19	25	53.00
VF57-LCC1926	5-7	19-26	25	54.90
VF57-LCC2632	5-7	26-32	25	57.80
VF57-LCC3240	5-7	32-40	25	58.30
VF57-LCC4047	5-7	40-47	25	62.70
VF57-LCC4757	5-7	47-57	25	72.10



Vertical Flange Clip / Locking Conduit Clip Combination Reversed

Clips for vertical flanges from 1,5-7mm thick incorporating a reversed Locking Conduit Clip for services 12-32mm diameter. Holds services beneath flange, recessed back from face.


REF	T (mm)	A (mm)	B Ø (mm)	U	PRICE
VF155-LCC1219R	1.5-5	MAX20	12-19	12	53.00
VF155-LCC1926R	1.5-5	MAX20	19-26	12	54.90
VF155-LCC2632R	1.5-5	MAX20	26-32	12	57.80
VF57-LCC1219R	5-7	MAX20	12-19	12	53.00
VF57-LCC1926R	5-7	MAX20	19-26	12	54.90
VF57-LCC2632R	5-7	MAX20	26-32	12	57.80



Vertical Flange Clip / Snap-In Conduit Clip Combination Reversed

Clips for vertical flanges from 1,5-7mm thick incorporating a reversed Snap-In Conduit Clip for services 18-33mm diameter. Holds services beneath flange, recessed back from face.


REF	T (mm)	A (mm)	B Ø (mm)	U	PRICE
VF155-SICC1825R	1.5-5	MAX20	18-25	11	43.90
VF155-SICC2229R	1.5-5	MAX20	22-29	11	44.90
VF155-SICC2933R	1.5-5	MAX20	29-33	11	45.30
VF57-SICC1825R	5-7	MAX20	18-25	11	43.90
VF57-SICC2229R	5-7	MAX20	22-29	11	44.90
VF57-SICC2933R	5-7	MAX20	29-33	11	45.30



Girder Clip for Multi Cables

Girder Clip to suit horizontal flange from 3-18mm, allows for cable tie attachment.

REF	T (mm)	A (mm)	B (mm)	C (mm)	PRICE
GC310	3-10	52	16	10	23.80
GC1018	10-18	52	16	10	23.80




Z-PURLIN HANGERS (45°)

Z-Purlin Flange Clip (45°)

Hammer-on clip for supporting chains etc. to 45° angled steelwork 1.5-5mm. 4.5mm hole receives hook, chain or nut and bolt connection.


REF	T (mm)	A (mm)	B (mm)	C (mm)	D Ø (mm)	S	PRICE
ZPFC155	1.5-5	15	53	15	6.5	45	21.50



Z-Purlin Hanger (45°)

Z-Purlin Hangers for supporting conduit conjunction boxes, chains etc. to 45° angled steelwork up to 3mm thick.


REF	A (mm)	B (mm)	C Ø (mm)	S	PRICE
ZPH1	Max 3	64	6.5	45	26.80
ZPH2	Max 3	50	6.5	45	26.80



Z-Purlin Flange Clip (45°) / Threaded Rod Hanger Combination

Hammer-on 45° Z-Purlin Flange Clip to suit flange thickness 1.5-5mm. Incorporates Threaded Rod Hanger for rod diameters M6, M8, M10 and M12. RH127 requires nut to secure.

	T (mm)	A (mm)	B (mm)	C°	D Ø (mm)		PRICE
ZPFC155-RH6T	1.5-5	15	77	45°	M6	45	49.80
ZPFC155-RH8T	1.5-5	15	77	45°	M8	45	49.80
ZPFC155-RH10T	1.5-5	15	77	45°	M10	45	49.80
ZPFC155-RH127	1.5-5	15	77	45°	12.7	45	49.80



Z-Purlin Hanger (45°) / Locking Conduit Clip Combination

Z-Purlin Hanger incorporating a Locking Conduit Clip. Suits conduit and cable diameters 12-57mm. Conduit clip turns 360°.

REF	A (mm)	B Ø (mm)	S	PRICE
ZPH2-LCC1219	Max 3	12-19	45	62.70
ZPH2-LCC1926	Max 3	19-26	45	64.60
ZPH2-LCC2632	Max 3	26-32	45	68.10
ZPH2-LCC3240	Max 3	32-40	45	70.30
ZPH2-LCC4047	Max 3	40-47	45	72.10
ZPH2-LCC4757	Max 3	47-57	45	81.60



CAB-CLIPS

Z-PURLIN HANGERS

Z-Purlin Hanger (45°) / Snap-In Conduit Clip Combination (45°)

Z-Purlin Hanger incorporating a Snap-In Conduit Clip. Suits conduit diameter 18-33mm. Conduit clip turns 360°.

REF	A (mm)	B Ø (mm)	U	PRICE
ZPH2-SICC1825	Max 3	18-22	11	53.00
ZPH2-SICC2229	Max 3	22-29	11	54.30
ZPH2-SICC2933	Max 3	29-33	11	55.00



Z-Purlin Hanger (45°) / Cable Tie Saddle Combination

Z-Purlin Hanger incorporating Cable Tie Saddle.


REF	A (mm)	U	PRICE
ZPH2-CTS	Max 3	22	51.30



Z-Purlin Hanger (45°) / Threaded Rod Hanger Combination

Z-Purlin Hanger incorporating Threaded Rod Hanger to suit rod diameter M6, M8, M10 & M12.


REF	A (mm)	B Ø (mm)	S	PRICE
ZPH1-RH6T	Max 3	M6	45	54.50
ZPH1-RH8T	Max 3	M8	45	54.50
ZPH1-RH10T	Max 3	M10	45	54.50
ZPH1-RH12T	Max 3	12.7	45	54.50



Z-Purlin Hanger (45°) / Height Adjustable Rod Hanger Combination

Z Purlin Hanger incorporating a Height Adjustable Threaded Rod Hanger to suit threaded Rod diameters M6, M8 & M10.

REF	A (mm)	B Ø (mm)	S	PRICE
ZPH1-TRH6	Max 3	M6	45	54.30
ZPH1-TRH8	Max 3	M8	45	54.30
ZPH1-TRH10	Max 3	M10	45	54.30




CABLE TIE FIXINGS

Vertical Flange Clip / Cable Tie Saddle Combination

Clips for vertical flanges 1.5-7mm thick incorporating Cable Tie Saddle for cable tie attachment

REF	T (mm)	A (mm)	B (mm)	U	PRICE
VF155-CTS	1.5-5	9	3.5	22	41.80
VF155-CTSR	1.5-5	9	3.5	22	41.80
VF57-CTS	5-7	9	3.5	22	41.80
VF57-CTSR	5-7	9	3.5	22	41.80



Cable Tie Saddle

Loose Cable Tie Saddle for use as a mounting base for cable ties.

REF	A (mm)	B (mm)	C Ø (mm)	PRICE
-----	--------	--------	----------	-------



Large Beam Clip / Cable Tie Saddle Combination

A simple cost-effective solution for fixing onto outsized steelwork. Grips firmly onto flanges up to 30mm incorporating Cable Tie Saddle for cable tie attachment.


REF	T (mm)	A (mm)	B (mm)	U	PRICE
LBC2330-CTS	23-30	9	3.5	20	55.70



Beam Clip / Cable Tie Saddle Combination

Beam Clip to suit horizontal flange from 1.5-20mm with Cable Tie Saddle for cable tie attachment

REF	T (mm)	A (mm)	B (mm)	U	PRICE
BC153-CTS	1.5-3	9	3.5	22	37.90
BC38-CTS	3-8	9	3.5	22	45.30
BC814-CTS	8-4	9	3.5	22	47.20
BC1420-CTS	14-20	9	3.5	22	49.20




CAB-CLIPS

STRAP HANGERS

Strap Hanger

Strap Hanger with 6.5mm diameter hole for fixing to vertical surfaces. Suitable for straps up to 28mm wide.


REF	A (mm)	B (mm)	C (mm)	D Ø (mm)	Q	PRICE
SH	28	6.3	18	6.5	90	20.80
SHR	28	6.3	34	6.5	90	31.00



Beam Clip / Strap Hanger Combination

Strap Hanger for fixing to horizontal flanges 1.5-20mm thick. Suits strap width up to 28mm, running parallel to edge of flange.


REF	T (mm)	A (mm)	B (mm)	C (mm)	Q	PRICE
BC153-SH	1.5-3	28	6.3	36	72	45.30
BC38-SH	3-8	28	6.3	38	90	53.00
BC814-SH	8-14	28	6.3	46	90	54.90
BC1420-SH	14-20	28	6.3	58	90	59.00



Beam Clip / Right Angle Strap Hanger Combination

Right Angle Strap Hanger for fixing to horizontal flanges 1.5-20mm thick. Suits strap width up to 28mm, running at right angle to edge of flange.


REF	T (mm)	A (mm)	B (mm)	C (mm)	Q	PRICE
BC153-SHR	1.5-3	28	6.3	58	72	54.90
BC38-SHR	3-8	28	6.3	60	90	62.70
BC814-SHR	8-14	28	6.3	68	90	64.60
BC1420-SHR	14-20	28	6.3	80	90	66.50



Vertical Flange Clip / Strap Hanger Combination

Strap Hanger Clip for fixing onto vertical flanges 1.5-7mm thick. Suits strap width up to 28mm, running parallel to edge of flange.


REF	T (mm)	A (mm)	B (mm)	C (mm)	Q	PRICE
VF155-SH	1.5-5	28	6.3	62	72	49.20
VF57-SH	5-7	28	6.3	62	72	49.20



Vertical Flange / Right Angle Strap Hanger Combination

Right Angle Strap Hanger for fixing onto vertical flanges 1-7mm thick. Suits strap width up to 28mm, running at right angle to edge of flange.


REF	T (mm)	A (mm)	B (mm)	C (mm)	Q	PRICE
VF155-SHR	1.5-5	28	6.3	77	72	59.10
VF57-SHR	5-7	28	6.3	77	72	59.10



Right Angle Bracket / Strap Hanger Combination

Angle bracket for soffit fixing, incorporating strap hanger to suit strap width up to 28mm. Two versions available.


REF	A (mm)	B (mm)	C (mm)	D Ø (mm)	Q	PRICE
RAB26-SH	28	6.3	38	6.5	90	37.90
RAB44-SH	28	6.3	54	6.5	90	39.90
RAB26-SHR	28	6.3	54	6.5	90	47.30
RAB44-SHR	28	6.3	72	6.5	90	49.20



Z-Purlin Hanger 45° / Strap Hanger Combination

Z-Purlin Hanger incorporating Strap Hanger Support for strap up to 25mm wide.

REF	A (mm)	B (mm)	C (mm)	D (mm)	Q	PRICE
ZPH1-SH	Max 3	88	28	6.3	45	59.00
ZPH1-SHR	Max 3	115	28	6.3	45	68.20




CAB-CLIPS

CLAMPS/MISCELLANEOUS

Ceiling Clip / Spin Nut

XC25-16S Ceiling Clip is a special centre rotating clamp on clip for ceiling "T" bars. Supplied with 16mm long M6 threaded stud as standard. WN6 spin nuts supplied separately.

Ref	A (mm)	B (mm)	C Ø (mm)	Q S	PRICE
XC25-16S	25	16	M6	22	23.40
WN6	-	-	M6		5.80




Heavy Duty Swivel Hanger

Offers high load bearing capacity whilst removing the need to bend threaded rod. Accepts both M8 and M10 rods.

REF	T (mm)	A (mm)	B (mm)	C (mm)	D Ø (mm)	E Ø (mm)	Q S	PRICE
HDSH	Max 25	60	71	12	10	M8/M10	200*	174.00

*Note: Vertical Load




**BEAM CLAMPS ARE NOT
RECOMMENDED FOR USE
IN THE VERTICAL PLANE**

Right Angle Bracket

Basic bracket for horizontal soffit fixing. 6.5mm hole receives hook, chain or nut and bolt connection. Standard finish EG

REF	A (mm)	B (mm)	C Ø (mm)	D Ø (mm)	Q S	PRICE
RAB-26	26	26	6.5	4.6	90	4.80
RAB-44	44	28	6.5	-	90	7.60



CABLE TRAY PERFORATED METAL

- Use with CABSTRUT metal framing to provide multi-directional support for runs of cabling
- Other materials and finishes on request

Light Duty Cable Tray (LCT)

Standard Length: 2950 + 50 - Standard Finish Galvanised (PG) Z275

Width (mm)	Material Thickness	Side Rail Height	LCT 2950 + 50mm Tray	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
50	0,8mm	13mm	250.00	185.00	123.00	274.00	523.00
76	0,8mm	13mm	300.00	195.00	136.00	300.00	623.00
101	1,0mm	19mm	440.00	300.00	185.00	335.00	686.00
152	1,0mm	19mm	600.00	375.00	231.00	414.00	777.00
203	1,0mm	19mm	800.00	430.00	299.00	529.00	830.00
228	1,0mm	19mm	900.00	445.00	317.00	607.00	897.00
305	1,0mm	19mm	1100.00	610.00	387.00	700.00	925.00



No Splices Required.
Order M6 x 12mm Gutter Bolts & Nuts Separately.
(See page 33)

LCT (2950 + 50mm Std. Length)


Medium Duty Cable Tray (MCT) *Finish HDG (Prices Exclude Splice Sets)

Standard Length: 3000mm, Side Rail Height: 38mm, Material Thickness: 1,6mm

Width (mm)	MCT Tray* ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③	Splice Sets up to 305mm
76	1065.00	1060.00	1420.00	2390.00	3950.00	152.00 Ea.
114	1335.00	1290.00	1510.00	2570.00	4150.00	
152	1600.00	1490.00	1620.00	2810.00	4500.00	
228	2100.00	2030.00	1820.00	3300.00	5300.00	
305	2670.00	2430.00	2050.00	3850.00	6560.00	
457	3700.00	3350.00	2740.00	5150.00	8800.00	Splice Sets for 457 & 610mm 242.00 Ea.
610	4800.00	5400.00	3190.00	6200.00	10000.00	

① Indicates Splice Sets Required

Splice sets comprise:
8 x M10 x 20 mushroom head bolts & nuts, 8 x M10 washers and 2 angle splices
(For 457mm & wider add 4 off mushroom head bolts, nuts & washers + 1 flat splice)



For greater widths Heavy Duty Tray is recommended.

Heavy Duty Cable Tray (HCT) *Finish HDG (Prices Exclude Splice Sets)

Standard Length: 3000mm, Side Rail Height: 76mm,




Width (mm)	HCT Tray* ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③	Splice Sets up to 305mm
76	1590.00	1310.00	1690.00	2690.00	4500.00	188.00 Ea.
114	1840.00	1520.00	1890.00	3200.00	5100.00	
152	2130.00	1690.00	2000.00	3450.00	5460.00	
228	2620.00	2175.00	2180.00	3800.00	6300.00	
305	3150.00	2750.00	2380.00	4600.00	7100.00	
457	5050.00	4150.00	3200.00	6650.00	9800.00	Splice Sets for 457mm & 610mm 278.00 Ea.
610	6300.00	5800.00	3500.00	7750.00	11500.00	

Material Thickness: 1,6mm up to 305mm and 2,0mm for 457 & 610mm



MCT/HCT (3000mm Std. Length)

Standard Accessories



M10 x M20 Mush. Hd. Screws, Nuts and Flat Washers @ **8.00/Set**


RETURN FLANGE CABLE TRAY

- Worldwide standard design
- Lighter, stronger and more cost effective
- Reduced installation times and costs

- 3000mm standard length
- Standard finish galvanised (PG)
- HDG prices on request
- Other materials and finishes on request

RFMD MEDIUM DUTY - * NON STOCK ITEMS


Width (mm)	Material Thickness	RFMD Tray	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
50	1,0mm	570.00	235.00	290.00	350.00	470.00
75	1,0mm	700.00	265.00	325.00	400.00	550.00
100	1,0mm	800.00	335.00	345.00	430.00	600.00
150	1,0mm	950.00	400.00	385.00	500.00	660.00
225	1,0mm	1200.00	520.00	410.00	640.00	900.00
300	1,2mm	1700.00	680.00	495.00	750.00	1115.00
450	1,5mm	3600.00	1450.00	770.00	1490.00	2180.00
*600	1,5mm	4300.00	2200.00	1200.00	2100.00	2800.00
*750	1,5mm	5200.00	3200.00	1500.00	3820.00	4560.00
*900	1,5mm	6150.00	4200.00	1700.00	5009.00	5465.00



Side Rail Height: 27mm * Non-stock Item

RFHD HEAVY DUTY - * NON STOCK ITEMS

Width (mm)	Material Thickness	RFHD Tray	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover
75	1,0mm	850.00	360.00	340.00	450.00	580.00
100	1,0mm	950.00	380.00	380.00	500.00	610.00
150	1,0mm	1100.00	450.00	410.00	575.00	720.00
225	1,0mm	1400.00	560.00	450.00	740.00	920.00
300	1,2mm	1900.00	740.00	530.00	960.00	1200.00
450	1,5mm	3700.00	1850.00	1000.00	2350.00	3000.00
600	1,5mm	4300.00	2700.00	1320.00	3350.00	4200.00
*750	1,5mm	5700.00	3800.00	1550.00	4700.00	5950.00
*900	1,5mm	6800.00	4600.00	1900.00	6100.00	6750.00









Side Rail Height: 50mm * Non-stock Item

Standard Accessory Radii:
 Horizontal Bends, Tees and 4 Way Crossovers: 450 - 900 mm wide = 200 mm
 50 - 225 mm wide = 125 mm
 300 mm wide = 150 mm
 Variable Risers: All widths = 240 mm

Standard Fasteners:
 4 Fasteners Per Splice
 M6 x 12 Gutter Bolt & Nut **1.70 = 6.80/Set**

Standard Accessories all with Built-in Splice

Horizontal Bend 90°		Variable Internal Riser & External Dropper from 0°-90°	
Tee		4 Way Crossover	
Wrap Over Coupler RFMD 60.00 RFHD 76.00	 200mm	Divider (Straight Tray - 3m) RFMD 220.00 RFHD 310.00	
Straight Couplers RFMD 22.00 RFHD 37.50	 200 x 20mm 200 x 45mm	Closed Cover (Straight Tray) Raised covers and covers for standard accessories also available (See Page 46)	
Fishplate Coupler RFMD/HD 72.00	 135 x 145mm	Horizontal Coupler RFMD 65.00 RFHD 115.00	 Adjustable

Vertical Coupler RFMD 120.00 RFHD 172.00	Adjustable 	Reversible Reducing Coupler RFMD (mm) RFHD (mm) 150 95.00 150 130.00 300 126.00 300 180.00 450 178.00 450 235.00 SUPPLIED FLAT - FOLD TO SIZE REQUIRED	
---	--	---	---

RF Accessories

Width (mm)	Open Hanger Bracket (up to 300mm)	Wall Mounting Plate (up to 150mm)	Tray Standoff Bracket	Trapeze Hanger Bracket
50	90.00	65.00	64.00	60.00
75	92.00	78.00	72.00	69.00
100	110.00	99.00	78.00	75.00
150	135.00	118.00	84.00	78.00
225	160.00	-	85.00	120.00
300	240.00	-	100.00	154.00
450	-	-	135.00	205.00
600	-	-	160.00	290.00
750	-	-	-	320.00
900	-	-	-	420.00

Dividers also available for standard accessories (POR)

© Cabstrut 02.21. All Prices Exclude VAT, E&OE. Prices Subject to Change Without Notice

CABLE TRAY WELDED WIRE MESH

- 3000mm standard length
- Pitch 100 x 50mm & 50 x 50mm
- Standard finish - Hot Dip Galvanised (HDG) or Zinc Plated 12 to 15 micron (SG) to order
- Other materials and finishes on request
- All accessories 50x50mm pitch

② Indicates Joiner Sets Required



NEW 2 part clamp includes integral nut and bolt.

S/G

17.60

S/S 304

71.60

S/S 316

90.70



4 Part Joiner Clamp Set
(includes M6 x 16mm
Screw & Nut)

22.20

MEDIUM DUTY CABLE TRAY (WWMD) (Prices Exclude Joiner Sets)

Width (mm)	WWMD Tray		Horizontal Bend 90°		Riser Dropper		Tee		4 Way Crossover	
	HDG50x100	HDG50x50	Radius 160	Radius 450	Radius 160	Radius 450	Radius 160	Radius 450	Radius 160	Radius 450
50	600.00②	730.00	270.00	420.00②	220.00	370.00②	680.00	950.00⑥	1000.00	1600.00⑧
100	630.00③	800.00	340.00	490.00③	270.00	400.00③	845.00	1100.00⑥	1235.00	1750.00⑨
150	750.00③	940.00	400.00	590.00③	310.00	480.00③	1040.00	1320.00⑥	1505.00	1895.00⑨
200	850.00③	1100.00	480.00	680.00③	350.00	550.00③	1225.00	1530.00⑥	1710.00	2180.00⑨
300	1100.00③	1400.00	620.00	880.00③	480.00	720.00③	1580.00	1950.00⑥	2120.00	2605.00⑨
400	1330.00④	1700.00	740.00	1050.00④	600.00	880.00④	1950.00	2380.00⑧	2265.00	2765.00⑫
500	1550.00④	1990.00	895.00	1300.00④	680.00	1020.00④	2340.00	2820.00⑧	2610.00	3115.00⑫
600	1770.00④	2300.00	1080.00	1500.00④	780.00	1150.00④	2750.00	3255.00⑧	3315.00	3880.00⑫

Standard Length: 3000mm, Wire Diameter: 4,0mm,
Sidewall Height: 50mm (2 Wires)


HEAVY DUTY CABLE TRAY (WWHD) (Prices Exclude Joiner Sets)

Width (mm)	WWHD Tray		Horizontal Bend 90°	Riser/ Dropper	Tee	4 Way Crossover
	HDG50x100	HDG50x50				
100	1295.00	1565.00	880.00	680.00	2025.00	3000.00
150	1455.00	1800.00	1005.00	805.00	2335.00	3500.00
200	1620.00	2030.00	1140.00	915.00	2630.00	3800.00
300	2000.00	2500.00	1400.00	1130.00	3060.00	4500.00
400	2320.00	2950.00	1650.00	1340.00	3800.00	5335.00
500	2650.00	3430.00	1900.00	1555.00	4160.00	6095.00
600	3020.00	3880.00	2160.00	1775.00	4680.00	6990.00
800	3720.00	4830.00	2680.00	2205.00	5760.00	8010.00
1000	4450.00	5775.00	3200.00	2635.00	6475.00	8310.00

Standard Length: 3000mm, Wire Diameter: 5,0mm,
Sidewall Height: 75mm (3 Wires)


Standard Accessories

Accessory Radius: 450mm or 160mm
Accessory Pitch: 50 x 50mm



CLIP-ON SUPPORT CHANNEL

- Horizontal or vertical installation
- No saddles required
- Bend over tabs to secure
- 1200mm standard length



300.00


/1200mm Length

Material Thickness: 1,6mm
Mass kg/1200mm: 1,2kg


Horizontal
Bend 90°



Internal
Elbow
(Riser)



External
Elbow
(Dropper)



Unique Flush
Hold Down
Saddle
8,5mm Slot

S/G

14.20

S/S 304

47.70



S/S 316

66.00

Excludes
Fasteners
(Saddle
tongues
locate below
cross wires)


Tee

4 Way
Crossover



WWMD/WWHD

On site fabrication is simple
using bolt cutters. Trays can
be cut to suit required radius.



CL 55/76 CABLE LADDER

- Standard finish galvanised (HDG)
- Welded construction
- Special materials & coatings on request

CL55 CABLE LADDER

(Prices Exclude Splice Sets) Standard Accessory Radius 450mm

Width (mm)	CL55 Ladder ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
100	1750.00	850.00	1000.00	1780.00	2500.00
150	1800.00	920.00	1040.00	1850.00	2600.00
200	1850.00	1000.00	1060.00	1900.00	2800.00
300	2000.00	1100.00	1120.00	2100.00	3000.00
400	2120.00	1300.00	1175.00	2260.00	3100.00
500	2280.00	1450.00	1240.00	2580.00	3300.00

Standard Length: 3000mm, Rung Spacing: 375mm, Side Rail Height: 50mm, Material Thickness: 1,6mm

CL76 CABLE LADDER

(Prices Exclude Splice Sets) Standard Accessory Radius 450mm

Width (mm)	CL76 Ladder ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
100	1825.00	1075.00	1150.00	1920.00	2550.00
150	1925.00	1145.00	1180.00	1980.00	2750.00
200	2030.00	1235.00	1250.00	2080.00	2950.00
300	2220.00	1340.00	1300.00	2320.00	3150.00
400	2460.00	1450.00	1340.00	2720.00	3400.00
500	2655.00	1690.00	1425.00	3120.00	3760.00
600	2890.00	1860.00	1480.00	3250.00	4080.00
800	3675.00	2485.00	1770.00	4100.00	5100.00
1000	4100.00	2880.00	2080.00	4900.00	5800.00

Standard Length: 3000mm, Rung Spacing: 375mm, Side Rail Height: 76mm, Material Thickness: 100 - 600mm 1,6mm, 800 - 1000mm 2,0mm
NB. 800 & 1000mm = HCL RUNGS @ 375mm CENTRES

CL55/76



Splice **42.00**

Splice Sets

100.80 Ea.

Adjustable Splice Kit

203.52 Ea.

Specifically designed for **HORIZONTALLY ORIENTED** installations.



① Indicates Splice Sets Required

Splice sets comprise:
2 x Plates, 8 x M6 x 16
Cup Sq. Screws, Nuts
& Washers



Adjustable Splice Kit Comprises:

4 x Plates, 8 x M6 x 16
Cup Sq. Screws, Nuts
& Washers, 4 x M8 x 20
Hex. Screws, Nuts &
Washers




CL55 & CL76 VARIABLE INT/EXT KIT COMPRISING:

2 x Side Pieces, 6 x M6 Cup Sq. Bolts, Nuts & Washers and 2 x M8 x 20 Screw & Nut + Washers


PLUS ONE CROSS RUNG:

Use to create infinite directional changes

100	86.00
150	98.00
200	110.00
300	150.00
400	165.00
500	205.00
600	250.00
800	295.00
1000	375.00




1 x Side Piece = 440 Radius
2 x Side Pieces = 650 Radius
3 x Side Pieces = 1000 Radius



P1450
Cable Ladder
Hold-down
Bracket
140g

25.00

Standard Accessories (suitable for all ladders) Accessory Radius: 450mm Other radii to order

Tee		Internal Elbow (Riser)		Reversible Reducing Splice (See 48)		Horizontal Bend 90°	
External Elbow (Dropper)		4 Way Crossover		Closed Cover (1,5m Long) Covers for Std. accessories also available ALL COVERS MADE TO ORDER (See page 53)			

CL 130 CABLE LADDER

Designed to meet NEMA Classification

20B = 1,6mm thick & 112kg/m

20C = 2,0mm thick & 149kg/m

- Standard finish galvanised (HDG)
- Welded construction
- Special materials & coatings on request
- CL130 made to order

Specifically designed for
HORIZONTALLY ORIENTED
installations.

**Standard Length:
6000mm**

(5800mm Manufactured
to order)



National Electrical
Manufacturers Association

**Designed to meet
NEMA 20B & 20C
Classification**

Wraparound load bearing
CL130 Splice manufactured
from 1,6mm galvanised
steel (HDG)

CL130 (NEMA 20B & 20C) CABLE LADDER

(Prices Exclude Splices and Fasteners)

(NB! Accessories have built-in splices and need fasteners only)

Standard Accessory Radius 650mm

	2,0mm Thick	1,6mm Thick				
Width (mm)	CL130 Ladder ①	CL130 Ladder ①	Horizontal Bend 90° ①a	Riser/Dropper ①a	Tee ②a	4 Way Crossover ③a
150	8880.00	7445.00	2130.00	2965.00	4400.00	6250.00
200	9100.00	7900.00	2200.00	3005.00	4580.00	6485.00
300	9500.00	8350.00	2375.00	3070.00	4950.00	6915.00
400	9950.00	8800.00	2600.00	3160.00	5200.00	7205.00
450	10200.00	9070.00	2695.00	3210.00	5350.00	7340.00
500	10440.00	9330.00	2840.00	3260.00	5500.00	7480.00
600	10900.00	9820.00	3200.00	3345.00	5800.00	7880.00
800	11875.00	11200.00	4100.00	3600.00	6600.00	9200.00
900	12320.00	11880.00	4400.00	3750.00	6900.00	9650.00
1000	12776.00	12800.00	4630.00	3900.00	7100.00	10100.00

Standard Length: 6000mm, Rung Spacing: 300mm, Side Rail Height: 130mm,
Material Thickness: 2,0mm or 1,6mm, Rung Type: HCL

①a Bend & Riser/Dropper = 1 x Fastener Set @ **72.00**

②a Tee = 2 x Fastener Sets @ **72.00** Ea. = **144.00**

③a 4 Way Crossover = 3 x Fastener Sets @ **72.00** Ea. = **216.00**

① Splice Sets For Straight Ladders **694.00**

Splice sets comprise:
2 x CL130 Splices @ **275.00** Ea.
& 2 Fastener Sets (Type 1a)

@ Comprising:

- (a) 8 x M10 x 20 Hex Set Screw @ **4.70** = **37.60**
(b) 8 x M10 Hex Nut @ **2.90** = **23.20**
(c) 16 x M10 Flat Washers @ **70c** = **11.20**



Accessories require fastener sets ONLY!

72.00 / SET

NO SPLICES ARE REQUIRED

POWERWAY CABLE LADDER


- Standard finish galvanised (HDG) • Special materials & coatings on request
- Welded construction

PW75 CABLE LADDER (Prices Exclude Splice Sets)

Width (mm)	PW75 Ladder 2,0mm ①	PW75 Ladder 3,0mm ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
150	2875.00	4320.00	1380.00	1335.00	2500.00	3365.00
200	3035.00	4595.00	1455.00	1380.00	2625.00	3510.00
300	3290.00	4915.00	1700.00	1510.00	2970.00	3865.00
400	3520.00	5145.00	1940.00	1645.00	3230.00	4100.00
500	3820.00	5465.00	2150.00	1780.00	3540.00	4440.00
600	4080.00	5880.00	2485.00	1885.00	3810.00	4755.00
800	4780.00	6525.00	2950.00	2140.00	4515.00	5550.00
1000	5225.00	7165.00	3340.00	2265.00	5090.00	6120.00

Standard Length: 3000mm, Rung Spacing: 300mm, Side Rail Height: 75mm, Material Thickness: 2,0 - 3,0mm, Cross Rung Thickness: 2,0mm

Splice Sets
2,0mm
280.40 Ea.




PW100 CABLE LADDER (Prices Exclude Splice Sets) (Made to Order)

Width (mm)	PW100 Ladder 2,0mm ①	PW100 Ladder 3,0mm ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
150	3530.00	5220.00	1700.00	1670.00	2915.00	4270.00
200	3665.00	5485.00	1815.00	1720.00	3050.00	4420.00
300	3945.00	5800.00	2080.00	1870.00	3400.00	4860.00
400	4275.00	6100.00	2460.00	2015.00	3770.00	5155.00
500	4500.00	6440.00	2785.00	2200.00	4100.00	5490.00
600	4765.00	6790.00	3210.00	2320.00	4710.00	5800.00
800	5310.00	7440.00	3845.00	2600.00	5470.00	6700.00
*1000	5855.00	8095.00	4400.00	2765.00	6055.00	7360.00

Standard Length: 3000mm, Rung Spacing: 300mm, Side Rail Height: 100mm, Material Thickness: 2,0 - 3,0mm, Cross Rung Thickness: 2,0mm

Splice Sets
2,0mm
310.40 Ea.

**Specifically designed for
SIDE ORIENTED
installations.**



PW150 CABLE LADDER (Prices Exclude Splice Sets) (Made to Order)

Width (mm)	PW150 Ladder 2,0mm ①	PW150 Ladder 3,0mm ①	Horizontal Bend 90° ①	Riser/Dropper ①	Tee ②	4 Way Crossover ③
150	4940.00	7285.00	2245.00	2240.00	3575.00	5620.00
200	5065.00	7570.00	2440.00	2310.00	3715.00	5735.00
300	5420.00	7900.00	2705.00	2500.00	4025.00	6360.00
400	5770.00	8230.00	3375.00	2695.00	4655.00	6720.00
500	6125.00	8590.00	3950.00	2940.00	4990.00	7135.00
600	6475.00	8960.00	4430.00	3080.00	6240.00	7515.00
800	7180.00	9655.00	5330.00	3445.00	6950.00	8650.00
*1000	7885.00	10355.00	6075.00	3655.00	7595.00	9460.00

Standard Length: 3000mm, Rung Spacing: 300mm, Side Rail Height: 150mm, Material Thickness: 2,0 - 3,0mm, Cross Rung Thickness: 2,0mm

Splice Sets
2,0mm
402.40 Ea.

① Indicates Splice Sets Required




16 x M8 x 16 cup square bolts, nuts & fender washers @ **4.40 = 70.40**
and 2 off splices (PW75, 2mm) @ **105.00 = 210.00**
(PW100, 2mm) @ **120.00 = 240.00**
(PW150, 2mm) @ **166.00 = 332.00**

Standard Accessories
All accessories 2,0mm only
(suitable for all ladders)
Accessory Radius: 450mm
Other radii to order




Horizontal
Bend 90°



Tee

External
Elbow
(Dropper)



Internal
Elbow
(Riser)

4 Way
Crossover



Reversible
Reducing
Splice
(See Page
48)

Closed Cover
(1,5m Long)
Covers for Std.
accessories also
available
**ALL COVERS
MADE TO ORDER
(See page 53)**

COVERS FOR TRAY AND LADDER

MANUFACTURED TO ORDER ONLY. OTHER RADII TO ORDER
PRICES FOR OTHER THICKNESSES OR FINISHES ON REQUEST

MD/HD CABLE TRAY COVERS

Radius: 450mm Finish: HDG Material Thickness 1,6mm

Width (mm)	Straight 1500mm	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover	MDCT/HDCT Cover Clip
76	580.00	925.00	605.00	2180.00	3975.00	 i0005678 11.00 i0016391 1.25
114	700.00	1150.00	705.00	2415.00	4265.00	
152	900.00	1350.00	825.00	2620.00	4545.00	
228	1225.00	1750.00	970.00	3035.00	5310.00	
305	1555.00	2120.00	1190.00	3625.00	6125.00	
457	2215.00	3150.00	1545.00	4675.00	7455.00	
610	2830.00	4150.00	1970.00	6075.00	9015.00	

REVERSIBLE REDUCING SPLICES

FINISH: HDG

MCT/HCT		CABLE LADDER		
Width (mm)	Price	Width (mm)	CL55	CL76, PW75, PW100
38	120.00	50	112.00	120.00
76	135.00	75	124.00	138.00
114	155.00	100	131.00	146.00
152	180.00	150	152.00	163.00
228	205.00	200	162.00	172.00
305	230.00	250	190.00	206.00
		300	213.00	232.00
		350	228.00	241.00
		400	250.00	266.00
		450	-	309.00
		500	-	335.00
		550	-	361.00
		600	-	380.00
		650	-	402.00
		700	-	421.00
		750	-	453.00
		800	-	469.00
		850	-	487.00
		900	-	514.00

RF CABLE TRAY COVERS PG (HDG ON REQUEST)

Radius: 450mm. Finish PG

Width (mm)	Thick (mm)	Straight 1500mm	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover	RFMD/RFHD Cover Clip
50	1,0	155.00	220.00	315.00	255.00	395.00	 i0014911 14.30
75	1,0	210.00	260.00	325.00	280.00	440.00	
100	1,0	285.00	325.00	350.00	360.00	480.00	 i0015100 17.00
150	1,0	385.00	405.00	390.00	445.00	580.00	
225	1,0	515.00	525.00	450.00	580.00	715.00	
300	1,2	675.00	690.00	515.00	755.00	925.00	
450	1,2	1055.00	1040.00	565.00	1705.00	2030.00	
600	1,2	1755.00	2035.00	1025.00	2325.00	2795.00	
750	1,6	2200.00	2765.00	1275.00	3070.00	3640.00	
900	1,6	2640.00	3655.00	1580.00	3970.00	4500.00	

CABLE TRAY COVERS WWMD/WWHD

Radius: 160 & 450mm. Finish: HDG

Width (mm)	Thick (mm)	Straight 1500mm	Horizontal Bend 90°		Riser/Dropper		Tee		4 Way Crossover		Wire Mesh Cover Clip
			Radius 160	Radius 450	Radius 160	Radius 450	Radius 160	Radius 450	Radius 160	Radius 450	
50	1,2	275.00	595.00	755.00	240.00	285.00	1070.00	1255.00	1980.00	2330.00	 i00016668 10.00
100	1,2	420.00	1065.00	1255.00	400.00	470.00	1780.00	2095.00	3295.00	3880.00	
150	1,2	565.00	1190.00	1400.00	490.00	575.00	1980.00	2330.00	3580.00	4210.00	
200	1,2	710.00	1360.00	1595.00	570.00	670.00	2180.00	2565.00	3895.00	4580.00	
300	1,2	1005.00	1935.00	2275.00	880.00	1035.00	3125.00	3675.00	5185.00	6100.00	
400	1,2	1295.00	2315.00	2725.00	1080.00	1270.00	3705.00	4360.00	5870.00	6905.00	
500	1,6	1955.00	2945.00	3465.00	1265.00	1490.00	4465.00	5255.00	6575.00	7735.00	
600	1,6	2505.00	3940.00	4635.00	1720.00	2025.00	5945.00	6990.00	8565.00	10075.00	
800	1,6	3280.00	-	6275.00	-	2615.00	-	9120.00	-	12400.00	
1000	1,6	4055.00	-	7915.00	-	3110.00	-	11270.00	-	14940.00	


CABLE LADDER COVERS CL55, CL76, PW75, PW100, PW150

Radius: 450mm Finish: HDG

Width (mm)	Thick (mm)	Str. CL55/76 1500mm	Str. PW75 /100/150 1500mm	Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover	 i0005445 17.60 Cable Ladder Cover Clamp (EG) 4 per Straight or Bend, 6 per TEE, 8 per 4-Way
100	1,0	545.00	-	1400.00	500.00	2250.00	4150.00	
150	1,0	645.00	645.00	1500.00	595.00	2500.00	4490.00	
200	1,0	785.00	785.00	1750.00	695.00	2750.00	4885.00	
300	1,2	1225.00	1225.00	2450.00	1070.00	3915.00	6505.00	
400	1,2	1565.00	1565.00	2950.00	1305.00	4645.00	7360.00	
500	1,2	1955.00	1955.00	3700.00	1530.00	5600.00	8250.00	
600	1,6	2650.00	2650.00	4775.00	2080.00	7030.00	10200.00	
800	1,6	3425.00	3425.00	6690.00	2690.00	9110.00	12600.00	
1000	1,6	4195.00	4195.00	8435.00	3195.00	11450.00	15235.00	

CABLE LADDER COVERS CL130 PEAKED & FLAT COVERS


Radius: 650mm Finish: HDG (Note: Accessories have Flat Covers Only)

Width (mm)	Thick (mm)	Straight 1500mm		Horizontal Bend 90°	Riser/Dropper	Tee	4 Way Crossover	CL130 Cover Clamp HDG i0003506 25.00	CL130 Raised Cover Bracket i0017048 29.40	M6 x 20mm HSS M6 Hex Nut M6 Flat Washer 2.16
		Peaked	Flat							
150	1,0	880.00	715.00	2790.00	1030.00	5020.00	9680.00	 CL130 Cover Clamp SS 316 56.00		
200	1,0	1075.00	870.00	3105.00	1260.00	5440.00	10230.00			
300	1,0	1460.00	1175.00	3785.00	1720.00	6170.00	11360.00	 CL130 Cover Clamp SS 316 56.00		
400	1,2	2155.00	1775.00	4530.00	2180.00	7460.00	12550.00			
450	1,2	2380.00	1960.00	4930.00	2410.00	7965.00	13160.00			
500	1,2	2610.00	2140.00	5345.00	2640.00	8490.00	13790.00			
600	1,2	2820.00	2600.00	6230.00	3095.00	9315.00	15100.00			
800	1,6	4905.00	4040.00	7950.00	4015.00	11600.00	17880.00			
900	1,6	5465.00	4445.00	9000.00	4475.00	12830.00	19360.00			
1000	1,6	6065.00	4635.00	10115.00	4935.00	14120.00	20900.00			

PVC TRUNKING - COMPACT MINI

Standard Accessories

Internal Angle	
Stop End	
External Angle	
Flat Angle	
Tee Unit	
NBT/4 CT6896 Socket Outlet Cover 15A	
42.80	




COMPACT MINI TRUNKING Colour - white. Installation is neat and easy with an affordable range of accessories.

Product Code	Size	Duct & Cover	Flat Angle	Internal Angle	External Angle	Tee Unit	Stop End
11. YT/1	16 x 16 x 3000mm	57.00	26.10	29.60	29.80	26.40	23.90
10. YT/1	16 x 16 x 2000mm	38.00	-	-	-	-	-
9. YT/2	25 x 16 x 3000mm	81.00	32.60	31.80	32.70	33.40	24.60
8. YT/2.5	25 x 25 x 3000mm	97.00	33.80	33.40	34.30	34.80	24.90
7. YT/3	40 x 16 x 3000mm	125.00	37.40	36.60	35.10	39.50	25.40
6. YT/4	40 x 25 x 3000mm	145.00	40.50	41.60	43.50	42.10	26.00
5. YT4	Loose Divider	44.00	-	-	-	-	-
4. YT/5	40 x 40 x 3000mm	170.00	49.50	45.50	46.90	61.70	26.50
3. NBT4	100 x 40 x 3000mm	412.00	145.00	145.00	145.00	200.00	31.40
2. NBT4	Loose Divider	74.00	-	-	-	-	-
1. NBT/5	100 x 50 x 3000mm	441.00	162.00	162.00	162.00	220.00	33.50

PVC TRUNKING - CABLE LINE

CABLE LINE TRUNKING Colour - Grey or White. Duct & Cover supplied together.

Product Code	Size	Grey Duct & Cover	White Duct & Cover	Grey End Cap	White End Cap	Grey Int/Ext Flat Angle	White Int/Ext Flat Angle	Grey Tee	White Tee
1. CLT/1	50 x 50 x 3000mm	355.00	368.00	31.40	30.20	130.00	130.00	230.00	230.00
2. CLT/2	75 x 50 x 3000mm	472.00	485.00	35.30	33.90	160.00	160.00	250.00	250.00
3. CLT/3	75 x 75 x 3000mm	528.00	541.00	39.80	38.20	170.00	170.00	260.00	260.00
4. CLT/4	100 x 50 x 3000mm	665.00	678.00	38.40	36.00	200.00	200.00	300.00	300.00
5. CLT/5	100 x 75 x 3000mm	771.00	808.00	47.80	46.20	220.00	220.00	325.00	325.00
6. CLT/6	100 x 100 x 3000mm	910.00	932.00	52.50	50.80	240.00	240.00	350.00	350.00



PVC SLOTTED TRUNKING

EPLAST EXTRUSION

- SABS approved
- Shock resistant and self-extinguishing thermoplastic that conforms with UL 94 VO
- Colour RAL 7030 grey
- Conforms to RoHs directive
- Lead-free material
- Base punching configuration to DIN 43659
- Standard length 2000mm
- Coining on all sizes that creates burr-free edges to reduce abrasion to hands and cables
- Pre-scored line at base as well as each finger to make a clean, precise opening for passing cables



SLOTTED TRUNKING Standard Length: 2000mm

Code	Size (W x H)	Price Ea.
i0005763	25 x 25mm	160.00
i0005764	25 x 40mm	194.00
i0005765	25 x 60mm	245.00
i0005766	25 x 80mm	279.00
i0005767	40 x 40mm	239.00

Code	Size (W x H)	Price Ea.
i0005768	40 x 60mm	280.00
i0005769	40 x 80mm	324.00
i0005770	60 x 40mm	319.00
i0005771	60 x 60mm	400.00
i0005772	60 x 80mm	432.00

Code	Size (W x H)	Price Ea.
i0005773	80 x 40mm	444.00
i0005774	80 x 60mm	472.00
i0014230	80 x 80mm	508.00
i0005775	100 x 60mm	600.00
i0005776	100 x 80mm	656.00

PVC FLOOR TRUNKING




EPLAST EXTRUSION

HALF MOON TRUNKING

Standard Length: 2000mm

Standard Colour: Grey

Code	Size (W x H)	Price Ea.
i0005778	48 x 13mm	240.00
i0005777	70 x 18mm	345.00
i0015023	95 x 20mm	567.00
i0006308	48mm End cap	23.40
i0006309	70mm End cap	28.10





TRIANGLE CORNER TRUNKING

CORNICE TRUNKING

Standard Length: 3000mm

Standard Colour: White

Code	Description	Price Ea.
i0005927	Duct & Cover	228.00
i0005928	Divider	46.00
i0005929	Int. Elbow	15.60
i0005930	Ext. Elbow	15.60
i0005931	Int. TEE	38.00
i0005932	End Cap	8.10



EPLAST EXTRUSION

PVC CONDUIT & FITTINGS



STRAIGHT PVC CONDUIT
Standard Length: 4000mm

Code	Size Ø	Price
i0005974	20mm	67.20
i0005975	25mm	96.60
i0005976	32mm	155.00




**CONDUIT BOX
1 WAY SIDE ENTRY**

Code	Size Ø	Price
i0005977	40mm	223.00
i0005978	50mm	320.00



**CONDUIT BOX
2 WAY THROUGH**

Code	Size Ø	Price
i0005981	20mm	16.20
i0005982	25mm	18.20



**CONDUIT BOX
2 WAY ANGLE**

Code	Size Ø	Price
i0005987	20mm	16.75
i0005988	25mm	20.20




**CONDUIT BOX
3 WAY SIDE ENTRY**

Code	Size Ø	Price
i0005983	20mm	16.70
i0005984	25mm	23.00



**CONDUIT BOX
4 WAY SIDE ENTRY**

Code	Size Ø	Price
i0005985	20mm	17.50
i0005986	25mm	23.00



**CONDUIT BOX
LOOP-IN 4 OUTLETS**

Code	Size Ø	Price
i0006017	20mm	17.80




**CONDUIT BOX BE/SE
8 KNOCKOUT ROUND**

Code	Size Ø	Price
i0016960	20mm	14.50




90° SOLID BEND

Code	Size Ø	Price
i0005989	20mm	24.50
i0005990	25mm	35.00
i0005991	32mm	45.00



SOLID COUPLING

Code	Size Ø	Price
i0005994	20mm	2.25
i0005995	25mm	3.50
i0005996	32mm	9.40



MALE ADAPTORS FEMALE ADAPTOR

Code	Size Ø	Price
i0005999	20mm	5.00
i0006000	25mm	7.00
i0006001	32mm	40.00
i0006002	40mm	60.00
i0006003	50mm	75.00

Code	Size Ø	Price
i0006004	20mm	5.00



CONDUIT BOX LIDS

Code	Size Ø	Price
i0006005	Std	5.00
i0006006	O/S	10.00



SPACER BAR SADDLE

Code	Size Ø	Price
i0006013	20mm	10.00
i0006014	25mm	12.00



STRAP SADDLE

Code	Size Ø	Price
i0006008	20mm	2.00
i0006009	25mm	3.00
i0006010	32mm	14.00

Code	Size Ø	Price
i0006011	40mm	14.85
i0006012	50mm	15.50



**PVC BONDING
FLUID**

Code	Size	Price
i0006020	200ml	85.00



CSK SLOTTED MC SCREW

Code	Size Ø	Price
i0006005	M5x20mm	1.00


Bosal Galvanised Plain End Straight Conduit

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005933	20	4m	-	2.220	15	33.30	320.00
i0005934	25	4m	-	2.820	11	31.02	400.00
i0005935	32	4m	-	3.640	8	29.12	493.00
i0005936	40	4m	-	4.590	6	27.54	625.00
i0005937	50	4m	-	5.780	5	28.90	765.00


Bosal Galv Conduit Box Side Entry 1way

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005938	20	EA	-	0.130	50	6.50	104.00
i0005939	25	EA	-	0.140	50	7.00	156.00


Bosal Galv Conduit Box Side Entry 2 Way Through

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005942	20	EA	-	0.160	50	8.00	143.00
i0005943	25	EA	-	0.160	50	8.00	193.00


Bosal Galv Conduit Box Side Entry 2 Way Angle

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005940	20	EA	-	0.160	50	8.00	143.00
i0005941	25	EA	-	0.160	50	8.00	193.00


Bosal Galv Conduit Box Side Entry 3 Way

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
ii0005944	20	EA	-	0.170	50	8.50	180.00
i0005945	25	EA	-	0.190	50	9.50	241.00


Bosal Galv Conduit Box Side Entry 4 Way

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005946	20	EA	-	0.188	50	9.40	223.00
i0005947	25	EA	-	0.220	50	11.00	281.00


Bosal Galv Conduit Box Loop-in Back Entry 1 Outlet

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017392	20	EA	-	0.130	50	6.50	123.00


Bosal Galv Conduit Box Loop-in Back Entry 2 Outlets

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017393	20	EA	-	0.160	50	8.00	162.00


Bosal Galv Conduit Box Loop-in Back Entry 3 Outlets

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017394	20	EA	-	0.170	50	8.50	200.00


Bosal Galv Conduit Box Loop-in Back Entry 4 Outlets

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017395	20	EA	-	0.188	50	9.40	239.00


Bosal Galv Conduit 90° Solid Bend

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005952	20	EA	-	0.130	100	13.00	102.00
i0005953	25	EA	-	0.210	50	10.50	115.00
i0005954	32	EA	-	0.300	25	7.50	174.00
i0005955	40	EA	-	0.660	1	0.66	223.00
i0005956	50	EA	-	1.150	1	1.15	349.00


Bosal Pipe Benders


Code	To Suit Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005972	20	EA	-	1.760	1	1.76	3140.00
i0005973	25	EA	-	2.620	1	2.62	3860.00


Bosal Galv Conduit Box Lid & Combi Head MC Screws

Code	Size (mm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0014757	STD	EA	1.2	0.032	250	8.00	13.20
i0017627	M05 x 12 EG	EA	-	0.002	100	0.208	1.15


Bosal Galv Conduit Box Threaded Dome Cover

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0018048	20	EA	1.2	0.054	250	13.50	32.50
i0018049	25	EA	1.2	0.062	250	15.60	34.50


Bosal Conduit Box Neo Rubber Lid Gasket & Sealing Washers


Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0018067	69	EA	1.5	-	500	4.40	10.00
i0018068	20	EA	1.5	-	1000	0.80	4.00
i0018069	25	EA	1.5	-	1000	1.00	5.00


Bosal Galv Conduit Solid Coupling

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005957	20	EA	-	0.040	250	10.00	31.00
i0005958	25	EA	-	0.070	250	17.50	34.50
i0005959	32	EA	-	0.100	50	5.00	56.40
i0005960	40	EA	-	0.140	25	3.50	132.00
i0005961	50	EA	-	0.200	25	5.00	150.00


Bosal Galv Conduit Male Adaptor

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005962	20	EA	-	0.040	250	10.00	42.50
i0005963	25	EA	-	0.060	250	15.00	48.30
i0005964	32	EA	-	0.090	50	4.50	67.80
i0005965	40	EA	-	0.150	25	3.75	247.00
i0005966	50	EA	-	0.210	25	5.25	294.00


Bosal Galv Conduit Female Adaptor

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0005967	20	EA	-	0.040	250	10.00	48.30
i0005968	25	EA	-	0.060	250	15.00	55.20
i0005969	32	EA	-	0.090	50	4.50	70.10
i0005970	40	EA	-	0.160	25	4.00	241.50


Bosal PP Push-on End Cap Grey

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017988	20	EA	-	0.003	1000	3.00	10.60
i0017989	25	EA	-	0.004	1000	4.00	13.50
i0018045	32	EA	-	0.0060	1800	10.80	16.20
i0018046	40	EA	-	0.0095	1000	9.50	25.00
i0018047	50	EA	-	0.0170	500	8.50	30.00


Conduit Male Brass Bush

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017827	20	EA	-	-	10	0.08	32.00
i0017828	25	EA	-	-	10	0.11	40.00
i0017829	32	EA	-	-	10	0.25	60.00
i0017830	40	EA	-	-	10	0.40	100.00
i0017831	50S	EA	-	-	10	0.55	170.00


Conduit Female Brass Bush


Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017832	20	EA	-	-	10	0.06	22.50
i0017833	25	EA	-	-	10	0.08	27.50
i0017834	32	EA	-	-	10	0.18	37.50
i0017835	40	EA	-	-	10	0.22	65.00
i0018070	50	EA	-	-	10	0.30	110.00


Heavy Duty Galv Conduit Hospital Saddle

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0007020	20	EA	-	0.0330	500	16.50	40.20
i0007021	25	EA	-	0.0390	500	19.50	47.10
i0007022	32	EA	-	0.0480	250	12.00	80.50
i0007023	40	EA	-	0.0660	250	16.50	118.40
i0007024	50	EA	-	0.1000	250	25.00	161.00


Light Duty Galv Conduit Hospital Saddle

Code	Size (Ømm)	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0014627	20	EA	-	0.0090	500	4.50	15.10
i0014628	25	EA	-	0.0100	500	5.00	19.10
i0014629	32	EA	-	0.0220	250	5.50	25.80
i0015049	40	EA	-	0.0340	250	8.50	51.00
i0015050	50	EA	-	0.0480	250	12.00	76.40


Light Duty Galv Conduit Strap Saddle

Code	Size (Ømm)	Width (A) (mm)	Thick-ness (mm)	Unit	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0007064	20 EG	12.2	0.5	EA	0.0030	6000	18.00	2.60
i0007065	25 EG	13.0	0.5	EA	0.0040	5000	20.00	2.90
i0007066	32 EG	14.0	0.5	EA	0.0050	4000	20.00	3.30
i0007067	40 EG	14.5	0.5	EA	0.0068	1000	6.80	7.50
i0007068	50 EG	15.5	0.5	EA	0.0088	1000	8.80	10.00


Galv Conduit Hex Locknut

Code	Size (Ømm) Finish	Unit	Thick-ness (mm)	Weight /Unit (Kg)	Pack/ Bundle Qty	Weight Pack/Bundle (Kg)	Unit Price
i0017656	20 EG	EA	3	0.0093	3000	27.90	6.00
i0017657	25 EG	EA	3	0.0150	2000	30.00	11.20
i0017658	32 EG	EA	3	0.0160	2000	32.00	14.20
i0017659	40 EG	EA	3	0.0180	1000	18.00	22.00
i0017660	50 EG	EA	3	0.0320	1000	32.00	40.00

WIRING DUCT LAY-IN WIRING RETICULATION



ONE SPLICE SUITS ALL DUCT SIZES - not suitable for P8100 Duct

New universal splices suitable for all duct sizes from 76x50 to 127x100. Simply bend on site for smaller profiles.

Traditional U shaped **FOLD-FROM-FLAT™** splices are also pre-punched and available as an option.

Powder Coated on request. (PVC Covers available in Grey or White)								
	51	51	51	51	51	51	102 1.0mm TO ORDER ONLY	51
P8100 76 x 25 x 0.8 Std. Length 3m P8184 Cover 75 x 3000mm	P8200 76 x 51 x 0.8 Std. Length 3m P8184 Cover 75 x 3000mm	P8300 76 x 63 x 0.8 Std. Length 3m P8184 Cover 75 x 3000mm	P8000 76 x 76 x 0.8 Std. Length 3m P8184 Cover 75 x 3000mm	P7810 100 x 76 x 0.8 Std. Length 3m P8184 Cover 75 x 3000mm	P9810 127 x 100 x 0.8 Std. Length 3m P8184 Cover 75 x 3000mm	P9000 127 x 76 x 0.8 Std. Length 3m P9184 Cover 125 x 3000mm	P9800 127 x 76 x 0.8 Std. Length 3m P8184 Cover 75 x 3000mm	
Duct (PG)/3m	420.00	560.00	630.00	633.00	740.00	980.00	708.00	840.00
Cover (PG)/3m	260.00	260.00	260.00	260.00	260.00	260.00	365.00	260.00
Cover (PVC)/3m	120.00	120.00	120.00	120.00	120.00	120.00	219.00	120.00

FOLD FROM FLAT STANDARD ACCESSORIES

Std Splice	75.00	75.00	88.00	80.00	97.00	102.00	85.00	85.00
Univ. Splice	-	29.00	29.00	29.00	29.00	29.00	29.00	29.00
End Cap	21.00	21.00	21.00	21.00	27.00	32.00	31.00	31.00
Ext/Int/Hor Elbow	140.00	140.00	150.00	150.00	190.00	210.00	190.00	190.00
Tee	180.00	180.00	190.00	190.00	230.00	265.00	230.00	230.00
Crossover	290.00	290.00	295.00	295.00	320.00	360.00	320.00	320.00

FOLD FROM FLAT RADIUS ACCESSORIES (COMPLETE WITH COVER)

Std Splice	75.00	75.00	88.00	80.00	97.00	102.00	85.00	85.00
Univ. Splice	-	29.00	29.00	29.00	29.00	29.00	29.00	29.00
End Cap	21.00	21.00	21.00	21.00	27.00	32.00	31.00	31.00
Ext/Int/Hor Elbow	-	265.00	285.00	300.00	340.00	360.00	340.00	340.00
Tee	-	360.00	380.00	390.00	455.00	490.00	450.00	450.00
Crossover	-	455.00	480.00	520.00	640.00	670.00	630.00	630.00
Dist. Outlet	-	315.00	360.00	370.00	425.00	470.00	425.00	425.00
Hangers c/w gutter, bolt & nut	58.40	58.40	58.40	58.40	83.40	75.40	75.40	75.40

STANDARD SOLID ACCESSORIES

Std Splice	-	104.00	115.00	120.00	-	-	128.00	128.00
End Cap	-	26.50	26.60	30.00	-	-	39.00	39.00
Ext/Int/Hor Elbow	-	200.00	210.00	215.00	-	-	280.00	280.00
Tee	-	257.00	270.00	275.00	-	-	410.00	410.00
Crossover	-	300.00	330.00	340.00	-	-	440.00	440.00
Hangers c/w gutter, bolt & nut	-	88.40	88.40	88.40	-	-	123.40	123.40
Retainer	-	9.00	9.00	9.00	-	-	15.00	9.00

ALL THE HANGERS COME WITH SCREWS
Standard Accessories
are supplied fold from flat.
Pre-punched.
Assemble on site.


M6x12 Gutter Bolt & Nut

1.70 Ea.

Radiused Accessories
comes with cover,
are supplied fold
from flat.
Pre-punched.
Assemble on site.

Solid Accessories
Supplied fully
fabricated. No
Pre-punched holes.

664.00 2 K/O
681.00 3 K/O
698.00 4 K/O
732.00 6 K/O









- Knockouts can be punched in P8300, P8000, P7810, P9800 & P9810
- 5A 3 pin shown, other types can also be supplied to order e.g. 50 x 50mm or 50 x 75mm universal, 15A, 13A etc.
- For outlet prices see page 10-18

Knockouts for 5A, 15A etc, in Ducting = **17.00 Ea.**

i0005874 - 4.0mm x 10mm AL/ST Blind Rivets **1.05 Ea.** (8 per duct)

ALL DUCTS AND FOLD FROM FLAT ACCESSORIES ARE PRE-PUNCHED FOR FIXING WITH BLIND RIVETS

WIRING DUCT
LAY-IN WIRING RETICULATION

 Powder Coated
on request.


Duct (PG)/5m	1521.00	1047.00 (1,5mm)	700.00	1200.00	500.00
Cover (PG)/2,5m	137.00	137.00	137.00	137.00	200.00
Cover (PVC)/2,5m	68.00	68.00	68.00	68.00	-

FOLD FROM FLAT STANDARD ACCESSORIES

Std Splice	24.00	24.00	24.00	24.00	39.00
Ext/Int/Hor Elbow	98.00	98.00	98.00	98.00	120.00
Tee	105.00	105.00	105.00	105.00	125.00
Crossover	150.00	150.00	150.00	150.00	158.00
End Cap	10.00	10.00	10.00	10.00	30.00
PVC End Cap	13.00	13.00	11.00	11.00	-
Hangers c/w gutter, bolt & nut	39.40	39.40	39.40	39.40	67.40

FOLD FROM FLAT RADIUSSED ACCESSORIES (COMPLETE WITH COVER)

Ext/Int/Hor Elbow	160.00	160.00	160.00	160.00	240.00
Tee	195.00	195.00	195.00	195.00	255.00
Crossover	230.00	230.00	230.00	230.00	305.00
End Cap	10.00	10.00	10.00	10.00	30.00
Hangers c/w gutter, bolt & nut	39.40	39.40	39.40	39.40	67.00

STANDARD SOLID ACCESSORIES




Std Splice	30.00	30.00	-	-	55.00
Ext/Int/Hor Elbow	120.00	120.00	-	-	189.00
Tee	134.00	134.00	-	-	219.00
Crossover	160.00	160.00	-	-	249.00
End Cap	22.00	22.00	-	-	39.00
Hangers c/w gutter, bolt & nut	81.40	81.40	-	-	-
M6 x 12 Gutter Bolt & Nut	1.70				

Standard Accessories
are supplied fold from flat.
Pre-punched.
Assemble on site.

Radiused Accessories
comes with cover, are
supplied fold from flat.
Pre-punched.
Assemble on site.

Solid Accessories
Supplied fully fabricated.
No pre-punched holes.

Hanger
Supplied with gutter bolts
& nuts


LIGHTING & CEILING SUPPORT

P2540
Nylon
(Including Nut)
(M20)
15.00



P2540 Brass
(M20)
129.00



- Fit standard adaptors at any point along the duct length
- Hollow adaptor serves as a conduit

TECHNICAL INFORMATION

- Cabstrut Return Flange cable trays and Powerack cable ladder systems manufactured in accordance with BS EN 61537:2002.
- Cabstrut channels, channel combinations, brackets and Cabstrut nuts manufactured in accordance with BS 6946:1988.
- Cabstrut Wiring Ducts are SANS 61084 Certified - Cable trunking and ducting systems for electrical installations.

MATERIALS & FINISHES

AL - Aluminium

EG - Zinc electroplated 5 to 8 microns with bright passivation to SABS ISO 4042:1999 (BS7371 Part 1:1991) for threaded articles up to 19mm diameter.

EP - Powder coating to SABS 1274:1979. Various different powder coating types for indoor, outdoor, industrial, marine and marine industrial applications are available.

HDG - Mild steel to BS 1449 Part 1, hot-dip galvanised after manufacture to SANS 121 (formerly SABS 763 / BS 729)

Hot-dip galvanising is the process where steel components have already been manufactured or formed, are cleaned of all rust and other contaminants, are dipped in molten zinc to produce a coating of iron/zinc alloys with pure zinc on the surface. HDG therefore takes place after manufacture.

Warranty

- Our products are warranted free of defect at time of shipment
- Sole and exclusive remedy is limited at our option to repair or replacement of products supplied by us

Liability

- Liability is disclaimed for any incidental or consequential damage
- No authorisation will ever be granted to any person, to assume on our behalf any obligation other than as stated left

Misuse

- No liability will be assumed for misapplication, this includes:
 - Use in non-standard (aggressive/hostile) environments
 - Use on aluminium or similar softer "fix to" materials
 - Overloading or use other than indicated

LOAD CHART PARAMETERS FOR CABLE TRAY & LADDER

The loading curves give an indication of the likely performance of the product over a number of spans.

This information is based on physical test results with joints at mid-span (worst position). Deflection does not exceed a deflection standard of span over 200 unless otherwise stated.

Due to material and manufacturing tolerances, test results can vary per individual length. The data shown is typical and given for guidance only. No guarantee can be offered that installed product will match the test results exactly and accept no liability for product supplied not matching these figures.

Cabstrut reserves the right to change the design of any of its products. This may consequently affect the sizes & masses of the products. Not all branches keep stock. Available on request.


CABSTRUT®
CABSTRUT BRANCHES

JOHANNESBURG
14 Union St. Cnr. Houtbaai St.
Alberton North,
Johannesburg
Tel: 011-622-8633
cabstrut@voltex.co.za

PRETORIA
636 Ella St. Cnr. 14th Av.
Rietfontein, Pretoria
Tel: 012-329-7060,
012-329-6882, 012-329-1647
cabpta@voltex.co.za

DURBAN
2 Brickworks Way
Briardene
Durban
Tel: 031-573-9400
cabdurban@voltex.co.za

CAPE TOWN
Unit 2A Ndabeni Business Park
Cnr. Inyoni St. & Old Mill Rd.
Ndabeni, Cape Town
Tel: 021-530-3560-6
cabcape@voltex.co.za

EAST LONDON
W.J. Agencies
12A Brill St.
Arcadia, East London
Tel: 043-722-6272
slombard@voltex.co.za

PORT ELIZABETH
W.J. Agencies
Unit 1, 20 Lindsay Rd.
Neave, Port Elizabeth
Tel: 041-451-2011
ejulian@voltex.co.za

GEORGE
W.J. Agencies
Unit 1, 72 Laing St.
George Industria, George
Tel: 044-874-1102
nico.ungerer@voltex.co.za